WATER V	WELL RI	ECORD	Form W	WC-5	Division of Wate	er Resources App. No	0.	
		ATER WELL:	Fraction		Section Number	Township No.	Range Number	
County: Dickinson 1/4 NE 1/4 SW 1/4 NE 1/4				15	T 16 S	R 3 XE W		
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information: Latitude: 38, 16, 24, 34, 38, 16, 34, 38, 16, 34, 38, 16, 34, 38, 16, 34, 38, 16, 34, 34, 38, 16, 34, 34, 36, 34, 36, 34, 36, 34, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36								
from nearest town or intersection: If at owner's address, check here					Latitude: 38, 66,248 (in decimal degrees) Longitude: 97.08344 (in decimal degrees)			
1-1/2 mile boddi of hope, ko					Elevation:			
A WAGED WELL OWNED OF 1 TO 1					Datum: WGS 8	84, 🕱 NAD 83, 🗌	NAD 27	
2 WATER WELL OWNER: Chuck Haslouer					Collection Method:			
RR#, Street Address, Box #: 1268 Hwy 4 City, State, ZIP Code : Hope, KS 67451					☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, ZIP Code : Hope, KS 67451					Est. Accuracy:			
3 LOCATE WELL 67								
	HAN "X" IN 4 DEPTH OF COMPLETED WELL 67 ft. 43							
SECTIO	N BOX:	[- ·]· · · · · · · · · · · · · · · · ·						
Pump test data: Well water was								
ECT VIELD 150 care Well water was find the hours numping com								
$\mathbf{W} = \mathbf{X} = $								
			R TO BE USED AS: [] Public wat	er supply 🔲 G	eothermal I	njection well	
Domestic								
	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock Was a chemical/bacteriological sample submitted to Department? ☐ Yes ▼ No							
***************************************	S					res XI No		
S If yes, mo/day/yr sample was submitted Water well disinfected? XX Yes \(\subseteq \) No								
5 TYPE OF CASING USED: Steel X PVC Other								
Casing diameter								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel X PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot XXMill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From. 27 ft. to 67 ft., From ft., From ft. to ft.								
From								
GRAVEL PACK INTERVALS: From								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From Q ft. to 20 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well								
	~					-		
	ТО	LITHOLOG	CONTRACTOR OF THE CONTRACTOR O	FROM			JGGING INTERVALS	
0 3	3 Tor						V/A	
	l5 Cla	y, tan						
	l6 Lin	estone		-			· · · · · · · · · · · · · · · · · · ·	
	37.5 Sha	le, gray	-11200					
		estone, fract	turea	-				
		le, gray le, red		+	*****		A PARAMETER AND A PARAMETER AN	
		le, fractured					A SAME AND	
1		ile, gray			100 mm m m m m m m m m m m m m m m m m m	H-14-14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, \square reconstructed, or \square plugged								
under my jurisdiction and was completed on (mo/day/year)111/9/12 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of .Peterson .Irrigation Inc by (signature)								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html								
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212								
1xD/1 040"14	in 1 /m							