	12445 R WEL	TH-1-13 L RECORD	Form WV	WC-5	Div	vision of Water	r Resources App. N	Jo.	
		OF WATER WELL:	Fraction	 	Section	on Number	Township No.	Range Number	
Count	ty:	Pratt	1/4 NW 1/4 NW			14	T 26 S	R 14 □E 🛛 W	
Street/Rural Address of Well Location; if unknown, distance &					Global	l Positioning	System (GPS) int 37.783351	formation: (in decimal degrees)	
from nearest town or intersection: If at owner's address, check h Approximately 2.5 miles east of Byers.					1	orali.	-98.820977	(in decimal degrees)	
Approximately 2.5 inlies east of byers.						ituae: tion:	Unknown	(in decimal degrees)	
A WATER WAY ON A WATER AND A W						1: L WG5 84	4, 🛛 NAD 83, 🛭	NAD 27	
2 WATER WELL OWNER: Kent Moore RR#, Street Address, Box #: 100498 NW 50th Ave.						Collection Method: GPS unit (Make/Model: WAAS			
City, State, ZIP Code : luka, KS 67066					Digital Map/Photo, Topographic Map, Land Survey				
						ccuracy: \square <	3 m, 🛛 3-5 m, 🗀] 5-15 m,	
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 122 ft.									
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3)									
SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 47.30 ft. below land surface measured on mo/day/yr 09/03/13									
	Pump test data: Well water was not checked ft after hours numping gnm								
-NWNE- EST. YIELD gpm. Well water was ft. after hours pumping gpm									
W	W Bore Hole Diameter 5 in. to 170 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
Best Let Doll field water symbly Devystaring Mother (Specify below)									
SWSE Domestic Feedfot Unified water supply Dewatering Wither (specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Test Well									
	Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted S									
water wert disinfected. Z 165 170									
5 TYPE OF CASING USED: Steel PVC Other									
CASING JOINTS: A Glued Clamped Welded Threaded Cosing diameter in to ft Diameter in to ft									
Casing diameter 2 in. to 110 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., Weight .70 lbs./ft., Wall thickness or gauge No214									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel PVC Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous clot Mill clot Gauge wrapped Troch cut Dirilled holes None (onen hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREE	N-PERF	ORATED INTERVALS:	From 110 f	t. to1	20	ft., From	ft	to the first the	
	GRAV	EL PACK INTERVALS	From 22	tt to	70	ft. From	fi	. to tt.	
	GAGAT.		From1	ît. to		ft., From	ft	to ft.	
Grout Intervals: From 0 ft. to 22 ft., From ft. to ft., From ft. to ft.									
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☒ Other (specify below)									
Sewer lines Cesspool Sewage lagoon				Fuel storage Abandoned water well					
		nt sewer lines Seepage	pit Feedyard	Fertilizer s	0	Oil well/ga	as well	None Known	
1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	tion from		HC LOG	Distance	from we	E 10- 10- 10- 10-	OG (cont.) or DI	UGGING INTERVALS	
FROM 0	TO 4	LITHOLOG Topsoil	IIC LOO	FROM 70	94		te, gray, brown		
4	6	Clay, brown		94	102		wn, sandy	 ▼ (** ** ** ** ** ** ** ** ** ** ** ** **	
6	8	Clay, gray		102	121	Sand, fine	e, brown, sand	y clay	
8	20	Clay, gray, sandy	Automitical Control of the Control o	121	125		wn, sandy	A STATE OF THE STA	
20	25	Sand, fine to coarse,	<u> </u>	125	143		wn, white, som		
25 32	32 41	Sand, gravel, fine to Clay, white, gray, cal		143 150	150 155	1 11 12 20 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	vel, fine to med y, sand streaks	lium, brown clay streak	
41	47	Clay, white, gray, car Clay, brown	IUI (C	155	160		y, sand streaks avel, fine to me		
47	67	Sand, gravel, fine to	coarse	160	165		ow, sand strea		
67	70	Clay, white, gray, yel		165	170		ow, sandy		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged									
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 09/20/13 under the business name of Clarke Well & Equipment, Inc. by (signature)									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.									
I (white bl	ue, pink) t	 Kansas Department of Healt 	h and Environment. Bureau	of Water, Geo	ology Sect	tion, 1000 SW J	Jackson St., Suite 42	0. Topeka, Kansas 66612-1367.	
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212									