

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: DICKINSON		NE 1/4 NE 1/4 NW 1/4	24	T 16 S	R 4 E
Distance and direction from nearest town or city street address of well if located within city? 1 mile South of Herington					
2 WATER WELL OWNER:			Board of Agriculture, Division of Water Resources		
RR#, St. Address, Box #:			Application Number:		
City, State, ZIP Code:			Herington, KS 67449		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 60 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. 34 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 22.5 ft. below land surface measured on mo/day/yr Aug 19-91			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield 20+ gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8 in. to 23 ft., and in. to ft.			
		WELL WATER TO BE USED AS:			
		<input checked="" type="radio"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes <input checked="" type="checkbox"/> No			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
<input checked="" type="radio"/> PVC		4 ABS	7 Fiberglass		Threaded
Blank casing diameter 5 in. to 30 ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface 18 in. weight lbs./ft. Wall thickness or gauge No. SPR 26					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
					12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	<input checked="" type="radio"/> Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 30 ft. to 60 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From NONE ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.					
6 GROUT MATERIAL:					
<input checked="" type="radio"/> Neat cement		2 Cement grout	3 Bentonite	4 Other	
Grout Intervals: From 3 ft. to 23 ft. From ft. to ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
<input checked="" type="radio"/> Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	
Direction from well? South East		How many feet? 100'			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Topsoil Bk			
4	8	Clay Lite Brown			
8	9.5	Shale Blue Green			
9.5	15	LIME - Broken - White			
15	16.5	LIME - Solid - White			
16.5	20	Shale Green			
20	34	LIME Lite TAN			
34	39	FRACK LIME & Shale Gray			
39	47	LIME TAN			
47	56	Shale Gray			
56	60	LIME TAN			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <input checked="" type="radio"/> constructed, <input type="radio"/> reconstructed, or <input type="radio"/> plugged under my jurisdiction and was completed on (mo/day/year) Aug 19 91 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo/day/yr) Aug 20 91 under the business name of ZINN Water Well Dring by (signature) Joseph A. Zinn					