KOLAR Document ID: 1583141

	WELL R			WWC-5		vision of Wa sources App.			Well ID			
Original Record Correction Change in Well Use 1 LOCATION OF WATER WELL: Fraction						ion Number Township Number Range Number			ge Number			
County: 1/4 1/4 1/4												
2 WELL Business: Address: Address: City:	OWNER: La		State:	First: ZIP:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
3 LOCATE WELL												
WITH "	WITH "X" IN 4 DEPTH OF COMPLETED WELL:						5 Latitude:(decimal degrees) Longitude:(decimal degrees)					
	SECTION BOX: Depth(s) Groundwater Encountered. 17 N 2)					Datum: WGS 84 NAD 83 NAD 27						
					neasured on (mo-day-yr)			Source for Latitude/Longitude:				
NWX-	NE	above la	and surface	-yr)			WAAS enabled?					
		Pump test data: Well water was ft. after hours pumping gpm					Land Survey Topographic Map					
W	E	anci	ft.		Online Mapper:							
SW	SE	after	. gpm	6 Elev	6 Elevation:ft. Ground Level TOC							
	s	Estimated Y Bore Hole D		ft. and		Source: Land Survey GPS Topographic Map						
1 n	nile		ft.		Other							
7 WELL WATER TO BE USED AS:												
1. Domestic: ☐ Housel	. Domestic: 5. □ Public Water Supply: well ID □ Household 6. □ Dewatering: how many wells?						10. □ Oil Field Water Supply: lease 11. Test Hole: well ID					
🗌 Lawn d	□ Lawn & Garden 7. □ Aquifer Recharge:			echarge: well ID	well ID			□ Cased □ Uncased □ Geotechnical				
	□ Livestock 8. □ Monitoring: well ID □ Irrigation 9. Environmental Remediation: well ID						12. Geothermal: how many bores? a) Closed Loop □ Horizontal □ Vertical					
					Extraction							
4. Industrial Recovery Injection						13. 🗌 C	13. 🗌 Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft. o ft. o ft. to ft.												
Grout Intervals: From ft. to ft., From ft. to ft. or ft.												
		e contaminati		potential source of cor					· 1 . G(
Septic '			Lateral Line Cess Pool] Livestock P] Fuel Storag		☐ Insectic ☐ Abando				
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							1					
							1					
					Notes:		1					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	omple	ted on (mo-day-ye	ear)			
under the b	usiness name	of	WATED	VELL OWNER and retain	one for your	cords Ess of ¢	 \$5 00 £	r each constructed mai	 11	<u></u>		
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	ttp://www.kdhel	ks.gov/waterwel	l/index.html						KS	SA 82a-1212		