

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Morris</u>	<u>NW 1/4 SW 1/4 SE 1/4</u>	<u>36</u>	T <u>16S</u> S	R <u>5</u> EW

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: <u>David and Donna Fisher</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>Rt. 1 Box 218</u>	Application Number:
City, State, ZIP Code: <u>Herington, KS. 67449</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>115</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>70</u> ft. 2. <u>88</u> ft. 3. <u>100</u> ft. WELL'S STATIC WATER LEVEL <u>40</u> ft. below land surface measured on mo/day/yr <u>6-30-90</u> Pump test data: Well water was <u>50</u> ft. after <u>12</u> hours pumping <u>30</u> gpm Est. Yield <u>26</u> gpm: Well water was <u>50</u> ft. after <u>12</u> hours pumping <u>30</u> gpm Bore Hole Diameter <u>8</u> in. to <u>11.5</u> ft., and <u>11.5</u> in. to <u>11.5</u> ft. WELL WATER TO BE USED AS: <input checked="" type="checkbox"/> Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) <input type="checkbox"/> Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted Water Well Disinfected? <u>Yes</u> No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: <u>Glued</u> <u>X</u> Clamped
1 Steel	6 Asbestos-Cement	9 Other (specify below)	Welded
<u>X</u> PVC	7 Fiberglass		Threaded
3 RMP (SR)			
4 ABS			
Blank casing diameter <u>5</u> in. to <u>11.5</u> ft., Dia.			
Casing height above land surface <u>16</u> in., weight <u>SDR-26</u> lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>X</u> PVC <u>SDR-26</u>	10 Asbestos-cement	
1 Steel	8 RMP (SR)	11 Other (specify)	
2 Brass	9 ABS	12 None used (open hole)	
4 Galvanized steel			
6 Concrete tile			
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	<u>X</u> Saw cut	11 None (open hole)
1 Continuous slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter	7 Torch cut	10 Other (specify)	
4 Key punched			
SCREEN-PERFORATED INTERVALS: From <u>50</u> ft. to <u>115</u> ft., From			
GRAVEL PACK INTERVALS: From <u>40</u> ft. to <u>115</u> ft., From			

6 GROUT MATERIAL:	<u>X</u> Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>22</u> ft., From				
What is the nearest source of possible contamination:	10 Livestock pens	14 Abandoned water well		
<u>X</u> Septic tank	11 Fuel storage	15 Oil well/Gas well		
4 Lateral lines	12 Fertilizer storage	16 Other (specify below)		
2 Sewer lines	13 Insecticide storage			
5 Cess pool				
3 Watertight sewer lines				
6 Seepage pit				
7 Pit privy				
8 Sewage lagoon				
9 Feedyard				
Direction from well? <u>South</u>	How many feet? <u>75</u>			

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>70</u>	<u>Remove old Galv. 6" casing</u>			
<u>70</u>	<u>75</u>	<u>fine gravel</u>			
<u>75</u>	<u>90</u>	<u>gray clay</u>			
<u>90</u>	<u>95</u>	<u>Red shale</u>			
<u>95</u>	<u>100</u>	<u>coarse gravel</u>			
<u>100</u>	<u>105</u>	<u>" "</u>			
<u>105</u>	<u>115</u>	<u>gray clay</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>6-30-90</u> and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No. <u>513</u> This Water Well Record was completed on (mo/day/yr) <u>6-30-90</u>
under the business name of <u>H2O Drilling Service</u> by (signature) <u>Darryl L. Schneider</u>