WATER WELL REC	CORD	Form W	WC-5	Division of Water Resources	
1 LOCATION OF WA County: Morris	TER WELL:	Fraction SE 1/4 NE 1/4 SE	1/4 NE 1/4	Section Number Township 24 T 16	No. Range Number S R 5 ZE W
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:	
from nearest town or intersection: If at owner's address, check here .				Latitude: .38.647483 (in decimal degrees)	
Approx. 1/2 mile West & 3/4 mile South of Delavan, KS			Longitude: 96.819715 (in decimal degrees)		
Approx. 1/2 mile veest a 6/4 mile count of Belavan, No			Elevation: 1490		
				Datum: ☐ WGS 84, 🗹 NAD	83, 🔲 NAD 27
2 WATER WELL OWNER: Steve Nelson			Collection Method:		
RR#, Street Address, Box #: 2609 U Ave.			GPS unit (Make/Model:)		
City, State, ZIP Code : Delavan, KS 67449			☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m		
3 LOCATE WELL				Est. Accuracy: [<3 m, [3-5]) m, ∐ 5-15 m, ∐ >15 m
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 96 ft.					
SECTION BOX:					
N	WELL'S STATIC WATER LEVEL. 68				
	Pump test data: Well water was				
EST. YIELD. 90gpm. Well water wasft. after hours pumpinggpm					
W Bore Hole Diameter 12 in. to .200 ft., and					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well					
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Was a chemical/bacteriological sample submitted to Department? Yes V No					
S If yes, mo/day/yr sample was submitted					
Water well disinfected? ✓ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter 8 in. to .96 ft., Diameter ft., Diameter ft.					
Casing height above land surface 12					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel PVC Other (Specify)					
☐ Brass ☐ Galvanized Steel ☑ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☑ None (open hole)					
Louvered shutter Key punched Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
From					
GRAVEL PACK INTERVALS: From					
From					
6 GROUT MATERIAL: Neat cement Cement grout Dente Other					
Grout Intervals: From .0 ft. to .96 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below) ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well					
Direction from well .!	Vorthwest			- "	•••••
FROM TO	LITHOLOG	GIC LOG	FROM		or PLUGGING INTERVALS
0 3 Top So					
3 10 Clay-T					And the state of t
10 12 Limest					
12 72 Shale-	*************************************				
	re 15-20 GPM				
	Limestone				
	re 80-100 GPM				
	Limestone-Hard				
Zoo ondier			†		
					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) .1/30/2017 and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. 897. This Water Well Record was completed on (mo/day/year) 2/3/2017.					
under the business name of Peterson McNett Drilling, Inc. by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to					
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					

http://www.kdheks.gov/waterwell/index.html