

| | | | | |
|--------------------------|-----------------------------|----------------|-----------------|------------------------|
| 1 LOCATION OF WATER WELL | Fraction | Section Number | Township Number | Range Number |
| County: <u>Morris</u> | <u>SE 1/4 SE 1/4 SW 1/4</u> | <u>18</u> | T <u>16 S</u> | R <u>6 E</u> <u>EW</u> |

Distance and direction from nearest town or city? IN THE SMALL TOWN OF DELEVAN
 Street address of well if located within city? NONE

2 WATER WELL OWNER: Joe Clemence
 RR#, St. Address, Box #: Delevan, Ks. 66847
 City, State, ZIP Code: Delevan, Ks. 66847
 Board of Agriculture, Division of Water Resources
 Application Number:

3 DEPTH OF COMPLETED WELL: 130 ft. Bore Hole Diameter: 9 in. to 130 ft. and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 99 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 129 ft. below land surface measured on Aug month 10 day 81 year
 Pump Test Data: NONE Well water was ft. after hours pumping gpm
 Est. Yield 20 gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 7 Fiberglass 9 Other (specify below) Welded
 6 Asbestos-Cement Threaded
 Blank casing dia: 5 in. to 99 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 18 in., weight lbs./ft. Wall thickness or gauge No. 214
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 99 ft. to 130 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 60 ft. to 130 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 3 ft. to 13 ft., From 50 ft. to 60 ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well: SW How many feet: 70 ? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on Aug month 10 day 81 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218
 This Water Well Record was completed on Mar month 25 day 82 year under the business name of Zinn Water Well Drlg by (signature) Joseph A. Zinn

| LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: | FROM | | | TO | | | LITHOLOGIC LOG | | |
|--|------|----|--------------------|------|-----|-----------------------|----------------|--|--|
| | FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG | | | |
| | 0 | 5 | Topsoil | 77 | 79 | LIME & Flint | | | |
| | 5 | 17 | LIME - Brn | 79 | 88 | Shale - Green | | | |
| | 17 | 27 | Shale - Yel | 88 | 91 | LIME | | | |
| | 27 | 30 | LIME - Yel | 91 | 111 | Red Rock - LIME Shell | | | |
| | 30 | 37 | Shale - Green | 111 | 119 | Shale Gray | | | |
| | 37 | 44 | Red Rock | 119 | 130 | LIME | | | |
| | 44 | 45 | Shale - Green | | | | | | |
| | 45 | 49 | LIME - white | | | | | | |
| | 49 | 54 | Shale - Lite | | | | | | |
| | 54 | 82 | LIME & Flint | | | | | | |
| ELEVATION: | 72 | 77 | Shale - Lite Green | | | | | | |

Depth(s) Groundwater Encountered 1. 30 ft. 2. 100 ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
SEC
SE 1/4
SE 1/4
SW 1/4