


1 LOCATION OF WATER WELL: Fraction SW 1/4 SW 1/4 SE 1/4 Section Number 26 Township Number T 16 S Range Number R 6 E

Distance and direction from nearest town or city street address of well if located within city?
1/2 mile North & 3/4 mile East of Diamond Springs

2 WATER WELL OWNER: Don Reed
 RR#, St. Address, Box #: Rt 1
 City, State, ZIP Code: Delevan Ks 66847
 Board of Agriculture, Division of Water Resources
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 125 ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 77 ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL: 55 ft. below land surface measured on mo/day/yr Feb 18 94
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 13.4 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter: 8 in. to 32 ft., and 6 7/8 in. to 125 ft.
 WELL WATER TO BE USED AS:
 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No. If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 5 in. to 55 ft., Dia. in. to ft., Dia. in. to ft.
 Casing height above land surface 18 in., weight lbs./ft. Wall thickness or gauge No. SDR-26
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 55 ft. to 125 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout intervals: From 3 ft. to 32 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 Direction from well? North East How many feet? 60
Barn

FROM		TO		LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	3	118	122	Topsoil Blk.			LIME TAN
3	5	122	125	Clay Brn			Shale Gray
5	10			Lime Yel			
10	12			Shale Yel			
12	13			Lime Yel			
13	25			Shale & Lime Yel			
25	34			Lime & Frac. Yel			No Water
34	35			Shale Gray			
35	63			Lime white			
63	68			Shale Gray			
68	77			Lime lite TAN			
77	78			Frac.			Water
78	103			Lime & Flint lite			
103	112			Shale Gray			
112	118			Red Rock			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) Feb 18 94 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 210 This Water Well Record was completed on (mo/day/yr) Feb 28 94 under the business name of Zinn Water Well Dng. by (signature) Joseph A. Zinn

OFFICE USE ONLY
T
R
EM
SEC
1/4
1/4
1/4