WATER WELL RECORD B\5 Form WWC-5 Division of Water Resources; App. No.									
1 LOCATION OF WATER WELL:			Fraction	a 1 1	Section Number				
County: Morris SW1/4 NE 1/4 NW1/4 O T 1/6 S R (E)W Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 digits)									
located within city? Latitude:									
	At Tri County Airport Herizam KS						Longitude:		
2 WAT	RR#, St. Address, Box # :27dt Windows					Elevation:			
iαπ,	Di. Addit	ss, Dux π	8/01 MIN	yers 1		Datum:			
City, State, ZIP Code : Waltham MA 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL						Data Collection Method:			
		LL'S 4	DEPTH OF COM	PLETED WELL	• • • • • • • • • • • • • • • • • • • •	29t	t.		
	WITH AN "X" IN Depth(s) Groundwater Encountered (1)								
	SECTION BOX: WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr								
520	N Pump test data: Well water was								
	Est. Yieldgpm: Well water wasft. after hours pumpinggpm								
_{NW}	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well								
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs									
Sample was submitted									
Sample was submitted									
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
l		3 RMP (S	SR) 6 Asbestos	-Cement 9 Oth	er (specify	below)	Welded	Clamped	
			7. Fiberglas	S			Threade		
Carron C									
Casing height above land surfacein., Weightlbs./ft. Wall thickness or guage No.									
TWINE OF CONFESSION PENEOD ATION I MATERIAL									
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)									
SCREEN-PERFORATED INTERVALS: From 19.5 ft. to 29.5 ft., From ft. to ft.									
From. 17.5 ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From. 17.5 ft. to 29.5 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout Bentonite 4 Other									
Grout In									
Grout Intervals: From									
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage (16) ther (specify									
1	Sewer line		5 Cess pool	8 Sewage lagoon	11 Fuel s		Abandoned water well	below)	
	Watertight					_	Oil well/gas well	product	
		ll?				ny feet?		1p.lurnus.	
FROM	TO	(2) 101	LITHOLOGIC	CLOG	FROM	1 TO	PLUGGING INT	ERVALS	
Ö	15		burden		_				
15	22	Sha	estone						
23	30	She					100		
23	20	<u> </u>							
				•					
	-								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)									
under m	y jurisdicti	ion and wa	as completed on (mo	/day/year)	an	d this record is tru	e to the best of my kno	wledge and belief.	
							ed on (mo/day/year) .	ġĮ. <i>Ε</i> Ι.Į.Υ.Ο	
INSTRU	e business	name of	Aquadrill la	ASE PRESS FIRM V and	PRINT class	by (Signature)	nks, anderline or circle the	correct answers Send ton	
three copi	es to Kansas	Department	of Health and Environme	ent, Bureau of Water, Ge	ology Section	n, 1000 SW Jackson S	t., Suite 420, Topeka, Kansa	as 66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									

KSA 82a-1212