WATER WELL RECORD		Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL:		raction	(7)		n Number	Township No.	Range Number	
County: Yorr S	(7.11.T	1/45 W 1/4 S W	11/4 N 1/4	Clabat	Position:	T System (GPS) in	R DE W	
Street/Rural Address of V from nearest town or inte	Vell Location; if w	nknown, distance & ver's address, check	here				(in decimal degrees)	
from hearest town of fitte.	isection. If at own	ici s addiess, effect	nere				(in decimal degrees)	
1 NIE Dalaway				Elevation:				
2 WATER WELL OWNER: Milton MetCalf RR#, Street Address, Box #: 130x 26			121 GB	Datum: WGS 84, NAD 83, NAD 27				
RR#, Street Address, Box #: City. State. ZIP Code				Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code	26	- / / /	Digital Map/Photo, Topographic Map, Land Survey					
City, State, ZIP Code : \(\lambda \) \(\la								
3 LOCATE WELL			0 /	~				
WITH AN "X" IN SECTION BOX: D	DEPTH OF CO	MPLETED WELL	(1) 7 <i>0</i>	ft	ft.	ft (3)ft.	
SECTION BOX: N Depth(s) Groundwater Encountered (1)							av/vr. 1 -/2 -/3	
Pump test data: Well water wasft. after hours pumping							pinggpm	
NW	was	ft. after hours pumping gpm						
$ \mathbf{w} $ $ \mathbf{E} $ $ \mathbf{E} $	ore Hole Diamete	r <i>F.: D</i> in. to	2in. toft., andin. toft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							njection well	
Domestic								
Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected?								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.								
Casing diameter in to ft., Diameter in to ft., Diameter ft., Diameter ft., Diameter ft., Diameter ft., Wall thickness or gauge No.								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From S.Z., tt. to tt., From tt., From tt. to tt.								
From ft. to ft., From ft. to ft. from ft. to ft. ft. from ft. to ft.								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below) Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
Direction from well								
FROM TO	LITHOLOGIC		FROM	ТО	LITHO. L	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
1 2 TOPS	3011				***************************************			
	ayongan sa							
2 35 hime	2				0.14.14.14.14.14.14.14.14.14.14.14.14.14.			
54 100	1106.1-	2						
35 50 40110	n/Shale							
6A 64 FON	/////							
57 65 001					***************************************			
70-72 Line + Water								
73 77 CMM/Shala								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Z-constructed, _ reconstructed, or _ plugged								
under my jurisdiction and was completed on (mo/day/year) — And this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 1. This Water Well Record was completed on (mo/day/year) under the business name of Lack A. L. C								
under the business name, of INSTRUCTIONS; Use typewrit	1405.1.1	N. Q	V SOA DDINIT -	by (s	ignature)	s and check the co	Tanswers Send three coniec	
(white blue nink) to Kansas De	partment of Health an	d Environment, Bureau	of Water, Geo	logy Section	on, 1000 SW Ja	ackson St., Suite 420,	, Topeka, Kansas 66612-1367.	
Telephone 785-296-5524. Send	one copy to WATER	R WELL OWNER and	retain one for	your recor	ds. Include <u>fe</u>	ee of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								