

1 LOCATION OF WATER WELL: County: <u>MORRIS</u>	Fraction <u>SE 1/4 SR 1/4 NE 1/4</u>	Section Number <u>29</u>	Township Number T <u>16</u> S	Range Number R <u>7</u> <u>EW</u>
--	---	-----------------------------	----------------------------------	--------------------------------------

Distance and direction from nearest town or city street address of well if located within city?

IN TOWN OF WILSEY

2 WATER WELL OWNER: <u>CITY OF WILSEY, ATTN: JEFF FALTER</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: <u>205 N. 74th St</u>	Application Number:
City, State, ZIP Code: <u>WILSEY, KS. 66873</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>101</u> ft. ELEVATION: <u>8.9</u>
	Depth(s) Groundwater Encountered 1. <u>12</u> ft. 2. <u>8.9</u> ft. 3. <u>---</u> ft. WELL'S STATIC WATER LEVEL <u>19.10</u> ft. below land surface measured on mo/day/yr <u>11/12/98</u> Pump test data: Well water was <u>---</u> ft. after <u>---</u> hours pumping <u>---</u> gpm Est. Yield <u>---</u> gpm: Well water was <u>---</u> ft. after <u>---</u> hours pumping <u>---</u> gpm Bore Hole Diameter <u>9 7/8</u> in. to <u>25</u> ft. and <u>6</u> in. to <u>101</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10 Monitoring well</u> Was a chemical/bacteriological sample submitted to Department? Yes <u>---</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted <u>---</u> Water Well Disinfected? Yes <u>---</u> No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>---</u> Clamped <u>---</u>
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded <u>---</u>
Blank casing diameter <u>6</u> in. to <u>25</u> ft. Dia <u>2</u> in. to <u>81</u> ft. Dia <u>---</u> in. to <u>---</u> ft.			Threaded <u>X</u>
Casing height above land surface <u>FLUSH</u> in. weight <u>---</u> lbs./ft. Wall thickness or gauge No. <u>SCH 40</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	<u>7 PVC</u>	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	<u>3 Mill slot</u>	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From <u>81</u> ft. to <u>101</u> ft. From <u>---</u> ft. to <u>---</u> ft.			
GRAVEL PACK INTERVALS: From <u>77</u> ft. to <u>101</u> ft. From <u>---</u> ft. to <u>---</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other <u>---</u>
Grout Intervals: From <u>0</u> ft. to <u>77</u> ft. From <u>---</u> ft. to <u>---</u> ft. From <u>---</u> ft. to <u>---</u> ft.				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				<u>CONTAMINATED SITE</u>
Direction from well?				How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	7	<u>CLAY, BRN</u>			
7	35	<u>LIME STONE AND SHALE INTERBANDS</u>			
35	91	<u>SHALE, GRAY</u>			
91	100	<u>GRAY TO BLuish GRAY</u>			
100	101	<u>SHALE, GRAY</u>			
	101	<u>7D</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>11/12/98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>585</u> This Water Well Record was completed on (mo/day/yr) <u>12/15/98</u> under the business name of <u>AEI</u> by (signature) <u>[Signature]</u>
--