				R WELL RECO	RD Form			32a-1212		T	
	ON OF WATE		Fraction	e=	ARA/		tion Num		ship Number	Range Numb	
County:		orris	town or city street add	SE ½			14	T	16 s	R 8	E
Distance and	a airection tro	m nearest		11]
2 WATER	WELL OWNE	R Gar									
			ast Main Street					Board o	of Agriculture. Di	vision of Water Res	ources
City State	ZIP Code	Cou	ncil Grove, KS	66846					ation Number:		
LOCATE	WELL'S LOC	CATON W	TH .								
AN "X" IN	N SECTION B	OX:	IDEPIRATE	OMPLETED V	VELL	29	t. l	ELEVATION: .			
			Depth(s) Grounds	water Encount	ered 1	19) 	ft. 2	ft.	3	Ft.
·	N		WELL'S STATIC	WATER LEVE	EL	ft.	below la	and surface mea	sured on mo/da	y/yr 	
↑ Γ	х	i	Pump	test data: V	Vell water v	vas		Ft. after	hours	pumping	Gpm
	NW	\ NE	Est. Yield	Gpm: V	Vell water v	vas		Ft. after	Hours	pumping	_ Gpm
	· i	;	Bore Hole Diame	ter 8.625	In. to	29	•	ft. and		in. to 11 Injection well 12 Other (Specify b	Ft.
		i	E WELL WATER TO	O BE USED A	S: 5 Put	olic water su	upply	8 Air c	conditioning	11 Injection well	
7		i									elow)
	sw	s'E	2 Irrigation							MW-22	
	i l	į	Was a chemical/b	acteriological	sample su	bmitted to E	Departm			s, mo/day/yr sample	: was
_	<u> </u>	<u> </u>	Submitted							No X	
	F BLANK CAS			5 Wrought						ed Clampe	d
1 Ste	el	_	MP (SR)	6 Asbestos	s-Cement	9 Other	(specify	below)		lded	
2 PV	С	4 AB	s	7 Fiberglas					Thr	eaded X	
		_ ,	10	Ft.,		I 4		6 Dia		! A-	_
Blank casing	g diameter _		in. to 19 FLUSH	Dia		In. t	·····	π., Dia		in. to	^{π.}
				In., weight	30	7H 4U				lo.	
			TION MATERIAL:						0 Asbestos-cen		
1 Ste				5 Fiberglas		8	RMP (S	SR) 1	 Other (specify None used (o 	()	
2 Bra		4 Ga TION ODE	Ivanized steel NINGS ARE:			d wrapped				pen noie) 11 None (open h	nole)
l	ntinuous slot		3 Mill slot		6 Wire w			9 Drille		11 None (open)	loic)
	vered shutter		4 Key punched		7 Torch						
	ERFORATED		I S: From					ft From	ff	. to	
SCILLIN-F	LINFORMILD	INILIXVA									
CAN	ND PACK INT	EDVALC:			to	29		ft From	۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰	. to	':"
SAI	NO PACK IIN	ERVALS.		•••••				ft. From		. to . to	Ft.
6 0000			From		. to						
GROUI	MATERIAL:	1 Ne	eat cement 2	Cement grout Ft.		3 Ben Ft.	tonite	4 Other			
Grout Interv	als From3	0	ft. to 2	From2	2	to		17 ft.	From	ft. to	ft.
			ole contamination:				10 L			bandoned water we	
1 Se _l	ptic tank	•	4 Lateral lines	7	Pit privy		11 F	Fuel storage	15_C	il well/ Gas well	
2 Sev	wer lines		5 Cess pool	8	Sewage la	agoon	12 F	Fertilizer storage	e 16 C	ther (specify below)	
	tertight sewer	rlines	6 Seepage pit		Feedyard	•		nsecticide stora		ontaminated S	
Direction fro	•			,				nany feet?			
FROM	то	CODE	LITHOL	OGIC LOG		FROM	ТО		PLUGGING	INTERVALS	
0	2		Silty Clay								
2	7		Silty Clay, brow								
7	12		Silty Clay, dark								
12	17		Clay								
17	25		Gravel, with cla								
25	29 TD		Gravel with clay				-				
29	TD		End of Borehol	e			+				$\overline{}$

										N	
7 CONTRA	ACTOR'S OR		NER'S CERTIFICATION				cted, (2)	reconstructed,	or (3) plugged u	nder my jurisdiction	and w
	on (mo/day/yr	·)	12/2:	3/04		And th			=	edge and belief. Ka	
Water Well	Contractor's L	icense No)	585		This W	Vater We			o/day/yr) 01/1 ()/05
under the bi	usiness name	of	Associate	ed Enviro	nmental	, Inc.		By (signatur	e) Darin R I	Duncan	
INSTR	UCTIONS: PI	ease fill in b	lanks and circle the com	ect answers. Se	end three co	pies to Kans	as Depa	rtment of Health a	and Environment, I	Bureau of Water, Tope	ka,
Kansas	5 00020-0001.	i elepnone:	913-296-5545. Send o	ne to WATER \	WELL OWN	ER and retai	n one tor	your records.			