WATER WELL RECORD	Form WWC-5	Division	of Water	Resources; App. No. L		
1 LOCATION OF WATER WELL:	Fraction	Section Nu		Township Number		
County: Morris	SE 1/4 SW 1/4 NE	1/4 E/zof		T /6 S	R SOW	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degree				rees, min. of 4 digits)		
located within city? 4/2	D D					
Storove Lake Rd		Longitude):			
2 WATER WELL OWNER: SUSAN	Broad hyrsl	Elevation	:			
RR#, St. Address, Box # : 12436 \(\Lambda \)	1 215 West	Datum:				
City, State, ZIP Code : Sedgwid	k, Ks 67135	Data Colle	ection N	Method:		
3 LOCATE WELL'S 4 DEPTH OF COM	MPLETED WELL	.55	ft.			
LOCATION						
WITH AN "X" IN Depth(s) Groundwar	ter Encountered (1)	3.6 ft. (2)	ft. (3)	ft.	
SECTION BOX: WELL'S STATIC V	WELL'S STATIC WATER LEVEL					
	Pump test data: Well water wasft. after hours pumping gpm					
	pm: Well water was					
	BE USED AS: 5 Public					
W E Domestic 3 F		ater supply			er (Specify below)	
2 Irrigation 4 I	ndustrial 7 Domestic (lawn & garden)	10 Mon	itoring well	• • • • • • • • • • • • • • • • • • • •	
SW SE						
	teriological sample submitt					
,	ed	Water well disin	fected?	Yes No	•••	
S						
5 TYPE OF CASING USED: 5 Wrough	ht Iron 8 Concret					
	os-Cement 9 Other (s	pecify below)		Welded		
2 PVC 4 ABS 7 Fibergl	ass			Threaded		
Blank casing diameter 5 in. to	ft., Diameter	in. to	ft.,	Diameter i	n. toft.	
Casing height above land surface	3 in., Weight	lbs./ft. V	Vall thic	kness or guage No	SDR-26	
TYPE OF SCREEN OR PERFORATION MA	TERIAL:					
1 Steel 3 Stainless Steel 5 Fit		9 ABS		11 Other (Specify) .		
2 Brass 4 Galvanized Steal 6 Co	oncrete tile 8 RM (SR)	10 Asbestos-Ce	ement	12 None used (open	hole)	
SCREEN OR PERFORATION OPENINGS A						
1 Continuous slot 3 Mill slot 5	Gauzed wrapped 7 Tor	ch cut 9 Drille	d holes	11 None (open ho	ole)	
2 Louvered shutter 4 Key punched 6 SCREEN-PERFORATED INTERVALS: From	Wire wrapped 8 Saw	Cut 10 Other	(specify	r)		
SCREEN-PERFORATED INTERVALS: From	\mathbf{n} \mathbf{ft} . to	ft., F	rom	ft. to	ft.	
Froi	n ft. to	ft., l	rom	ft. to	It.	
GRAVEL PACK INTERVALS: From	mπ. το	π., ۱ دی ســـ	rom	п. то	II.	
FIOI	m ft. to	π., r	rom	IL to	1t.	
6 GROUT MATERIAL: 1 Neat cement	2 Cement grout 3 Bento	nite 4 Other				
Grout Intervals: From3 ft. to	25 ft., From	ft. to	ft.	. From	ft. toft.	
What is the nearest source of possible contamir				.,	,,, 10, 00 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1 Septic tank 4 Lateral line		Livestock pens	13 Inse	ecticide Storage	16 Other (specify	
2 Sewer lines 5 Cess pool		Fuel storage		andoned water well	below)	
		Fertilizer Storage				
Direction from well? North				-		
FROM TO LITHOLOG		FROM TO	•	PLUGGING INTE		
0 1 Topsail Bl		45 54	Sho	<i> </i>		
13 Aluxium		54 55	LIN		*	
	Flint Blue		~~~	/		
3 13 Lime TAN- 13 19 Shale Redich 19 21 Lime Frac	Brn			· · · · · · · · · · · · · · · · · · ·	, , , , , , , , , , , , , , , , , , , ,	
19 31 Line Frac	PIN					
	to Gray				`	
20 21	20 City					
31 36 Shale Rea	1					
36 40 Very Soft Re	ed Shake					
70 75 Very Soupy 7 CONTRACTOR'S OR LANDOWNER'S	CEDTIFICATION: TILL		Y 00 = -4 -	votod/(2) mass to the	nd on (2) =11	
CONTRACTOR'S OR LANDOWINER'S	CERTIFICATION: Ims	water well was ()	constru	icted, (2) reconstructe	a, or (3) plugged	
under my jurisdiction and was completed on (n						
Kansas Water Well Contractor's License No. sunder the business name of Zww Water	Mall D. L. water w	by (airmater)	mpleted	on (mo/day/year) F.E.	uØī	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PL</u>	Well Drig FASE PRESS FIRMLY and PRIL			anderline or rivel the co		
three copies to Kansas Department of Health and Environment	ment, Bureau of Water. Geology	Section, 1000 SW Jac	kson St S	Suite 420, Topeka. Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OV						
http://www.kdheks.gov/waterwell/index.html.						