WATER WELL RECORD	Form W	WC-5	D	ivision of Wate	r Resources App. N	0	
1 LOCATION OF WATER WELL: County: MORRIS	Fraction SW ¼ NE ¼ SW	1 1/4 1/				Range Number R-6-	
Street/Rural Address of Well Location; if unknown, distance & direction				Global Positioning System (GPS) information:			
from nearest town or intersection: If at owner's address, check here $\square$ .			Latit	Latitude: (in decimal degrees)			
1473 S 975 RD, COUNCIL GROVE KS 66846				Longitude: (in decimal degrees)			
				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: JOHN GOODELL			Collection Method:				
RR#, Street Address, Box #: 1475RD City, State, ZIP Code : COUNCIL GROVE KS 66846			☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
City, State, ZIP Code : COUNCIL GROVE, KS. 66846				Est. Accuracy:			
3 LOCATE WELL A DEPOSIT OF COLUMN 171							
WITH AN "X" IN SECTION BOX: Depth(s) Ground							
N WELL'S STAT	WELL'S STATIC WATER LEVEL. 40						
Pump	Pump test data: Well water wasft. after hours pumping gpm						
EST. YIELD. 20	EST. YIELD. 26gpm. Well water wasft. after hours pumping						
E Bore Hole Diameter 8.5/8 in. to .71 ft., and							
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
SW SE -   Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below)							
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☑ Yes □ No							
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter .5							
Casing height above land surface16							
Steel Stainless Steel PVC Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot     ☐ Mill slot     ☐ Gauze wrapped     ☐ Torch cut     ☐ Drilled holes     ☐ None (open hole)       ☐ Louvered shutter     ☐ Key punched     ☐ Wire wrapped     ☑ Saw cut     ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From40							
From							
GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.							
From							
Grout Intervals: From							
What is the nearest source of possible contamination:							
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)							
✓ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well							
Direction from well EAST Distance from well 175.							
FROM TO LITHOLOG	IC LOG	FROM	TO	LITHO. LC	OG (cont.) or PLU	GGING INTERVALS	
0 6 TOP SOIL BLK		47	59	LIME/FLIN			
6 10 SHALE TAN		59	61	SHALE GR	RAY		
10 19 LIME TAN	I C OC MATER	61	65	LIME TAN	<u> </u>		
19 20 SMALL FRAC. TRICK 20 21 LIME TAN	LE OF WATER	65	71	SHALE RE	.U		
21 25 SHALE GRAY		<del> </del>					
25 28 LIME/FLINT BLUE							
28 40 SHALE GRAY	•						
40 45 LIME GRAY FRACTU	RED						
45 47 CREVICE PEACH							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, reconstructed, or plugged							
under my jurisdiction and was completed on (mo/day/year) .JAN 9.2013 and this record is true to the best of my knowledge and belief.  Kansas Water Well Contractor's License No218 This Water Well Record was completed on (mo/day/year) .JAN 21 2013							
under the business name of ZINN WATER WELL DRILLING by (signature)							
INSTRUCTIONS: Use ty pewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies							
(white, blue, pink) to Kansas Depar tment of Health	and E nvironment, Bureau	of Water, Geo	logy Secti	on, 1000 SW Jac	ckson St., Suite 420,	Topeka, Kansas 666 12-1367.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy							