

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <b>MORRIS</b>		<b>SE 1/4 SW 1/4 NW 1/4</b>	<b>32</b>	<b>T 16 S</b>	<b>R 9 E</b>
Distance and direction from nearest town or city street address of well if located within city?					
<b>3 1/2 M-SE CO. BLACK TOP-DUNBAR RD - 1/2 S - 1/4 E - COUNCIL GROVE</b>					
2 WATER WELL OWNER:		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #		Application Number:			
City, State, ZIP Code		<b>COUNCIL GROVE KS 66846</b>			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <b>34</b> ft. ELEVATION: -			
		Depth(s) Groundwater Encountered 1. <b>NA</b> ft. 2. - ft. 3. - ft.			
		WELL'S STATIC WATER LEVEL <b>30</b> ft. below land surface measured on mo/day/yr <b>10-02-89</b>			
		Pump test data: Well water was - ft. after - hours pumping - gpm			
		Est. Yield - gpm: Well water was - ft. after - hours pumping - gpm			
		Bore Hole Diameter - in. to - ft., and - in. to - ft.			
TYPE OF BLANK CASING USED: <b>NA</b>		CASING JOINTS: Glued - Clamped -			
1 Steel 3 RMP (SR)		Welded -			
2 PVC 4 ABS		Threaded -			
Blank casing diameter - in. to - ft., Dia - in. to - ft., Dia - in. to - ft.		5 Wrought iron 8 Concrete tile			
Casing height above land surface - in., weight - lbs./ft. Wall thickness or gauge No. -		6 Asbestos-Cement 9 Other (specify below)			
TYPE OF SCREEN OR PERFORATION MATERIAL: <b>NA</b>		7 PVC 10 Asbestos-cement			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) -		2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)			
SCREEN OR PERFORATION OPENINGS ARE: <b>NA</b>		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes		2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) -			
SCREEN-PERFORATED INTERVALS: <b>NA</b> From - ft. to - ft., From - ft. to - ft.		GRAVEL PACK INTERVALS: <b>NA</b> From - ft. to - ft., From - ft. to - ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other -		Grout Intervals: From <b>6</b> ft. to <b>3</b> ft., From - ft. to - ft., From - ft. to - ft.			
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well		2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage		Direction from well? <b>NW</b> How many feet? <b>2-POINT 25'</b>			
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS		<b>NAWD DOG - NO HISTORY - NO LITHOLOGIC LOG RECORD - CEMENT SLAB TOP + STEP INTO HOUSE - REMOVED -</b>			
<b>CLAY SOIL BACKFILL</b>		<b>EAST WALL OF HOUSE</b>			
<b>BL</b>		<b>*3200* CEMENT + 3200* SAND CAP 3' FROM TOP</b>			
<b>34'</b>		<b>10' LIMESTONE WALL REMOVED</b>			
		<b>CLAY SOIL BACK FILL</b>			
		<b>DISINFECTED AND ROCK BACK FILL</b>			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10-05-89</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>479</b> This Water Well Record was completed on (mo/day/yr) <b>10-06-89</b> under the business name of <b>EBBERTS DRILLING</b> <i>[Signature]</i> <b>J. A. Bingesser - OWNER</b>					