KOLAR Document ID: 1583149

	WELL R			WWC-5		vision of Wat					
		Correction		ge in Well Use		ources App.			Well ID		
			Fraction	4 ¹ / ₄ Section Number			Township Numb		ige Number		
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: 5						mal Addmaga	$\begin{array}{c c c c c c c c c c c c c c c c c c c $				
Z WELL Business:		ast Name:		First:		rection from nearest town or intersection): If at owner's address, check here:					
Address:					unceuon nom						
Address:			~								
City:			State:	ZIP:							
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	tude:			(decimal degrees)	
SECTION BOX. Depth(s) Ground				Encountered: 1)			Longitude:(decimal degrees)				
1	N	2) WELL'S ST		Dry Well			WGS 84 INAI		IAD 27		
				II. -yr)			Latitude/Longitude		``		
NW	NE X			-yr)		☐ GPS (unit make/model:) (WAAS enabled? ☐ Yes ☐ No)					
		Pump test d				□ Land Survey □ Topographic Map □ Online Mapper:					
W	E	after	hours								
SW	SE	ofter	Well v								
		Estimated Y		gpm	6 Elevation:ft. Ground Level TOC						
· · ·	S	Bore Hole Diameter: in. to			ft. and	Source	Source: 🗌 Land Survey 🔲 GPS 🔲 Topographic Map				
1 r	mile		in. to			□ Other					
7 WELL WATER TO BE USED AS:											
1. Domestic: 5. Public Water Supply: well											
		6. □ Dewatering: how many wells? 7. □ Aquifer Recharge: well ID					11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical				
			8. Monitoring: well ID				12. Geothermal: how many bores?				
	2. \Box Irrigation 9. Environmental Remediation:										
4. 🗌 Industr	☐ Injection		13. Other (specify):								
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:											
Water well disinfected? Yes No											
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded											
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.											
Casing height above land surface											
Steel Stainless Steel PVC Other (Specify)											
□ Brass □ Galvanized Steel □ None used (open hole)											
SCREEN OR PERFORATION OPENINGS ARE:											
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)											
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)											
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.											
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other											
Grout Intervals: From											
☐ Septic			Lateral Line			Livestock P	ens	☐ Insectio	ide Storage		
□ Sewer	Lines		Cess Pool	Sewage La		Fuel Storage		Abando	oned Water		
	ight Sewer Lir			☐ Feedyard		Fertilizer St	orage	🗌 Oil We	ll/Gas Well		
Direction from well? ft.											
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS	
	10				TROM	10			1200011		
	Notes:										
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged											
under my j	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of my	y knowled	ge and belief.	
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)		
under the b	ousiness name	<u>e of</u>		ELL OWNER and retain	£-		5 00 0				
KS Departr										2785-296-3565	
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212										