WATER WELL RECORD Form WW	C-5	Divisio	on of Wate	er Resources; App. No.	
1 LOCATION OF WATER WELL: Fraction		Section N	lumber	Township Number	Range Number
County: Osage NW4 NW4 Q T T S R 15 EW					
Distance and direction from nearest town or city street address of well if located within city? Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude:					
located within city? 28312 5. Warmaker Osage City, KS. Longitude: Longitude:					
2 WATER WELL OWNER: Clade Buchs	,	Elevation:			
2 WATER WELL OWNER: Clyde Bulns Elevation: RR#, St. Address, Box # : 28812 5. Wans maker Datum:					
City, State, ZIP Code : Osaze C.ty, Ks. 66523 Data Collection Method:					
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
DOCATION					
WITH AN "X" IN Depth(s) Groundwater Encountered (1). No. n.c. ft. (2)					
SECTION BOX: WELL'S STATIC WATER LEVEL. No.:: ft. below land surface measured on mo/day/yr					
Est. Yield No. negpm: Well water was					
WELL WATER TO BE USED AS: 5 Public water supply SAir conditioning 11 Injection well					
W 1 E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)					
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs					
Was a chemical/bacteriological sample submitted to Department? Yes					
S Sample was submitted					
5 TYPE OF CASING USED: 5 Wrought Iron 8 Co	oncrete tile		CASIN	G JOINTS: Glued	Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement Ot	ther (specify	below)		Welded	-fusion
1 Steel 3 RMP (SR) 6 Asbestos-Cement Other (specify below) Welded. Fusion					
Blank casing diameter					
Casing height assessing surface34.74.0 in., Weight SD.R. 11lbs./ft. Wall thickness or guage No. 16093/					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)					
From					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Sentonite 4 Other					
Grout Intervals: From					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well					
Direction from well?					
FROM TO LITHOLOGIC LOG	FROM	ТО	<u> </u>	PLUGGING IN	
			4.	-140' Bose	
0 4 Sel+clay 120-160 Shale 4 8 Linestone 8 13 Shale			•		· · · // · · · · ·
		 	1	- 11 0	, .
13 16 Limentone	160	3	High	Solids Ben	tonit c
16 30 shale 36 35 Limestone		 	<u> </u>		
36 35 Limestone)					
84 105 Linestone					
105 113 Shale					
1/3 120 Limotore					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged					
under my jurisdiction and was completed on (mo/day/year)					
under the business name of vans from Day. This water well record was completed on (mo/day/year) 1					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fift in blanks, underline or circle the correct newers. Send top					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone					
1 705 706 5577 Sand one to WATED WELL TWINED and working one	for voir ra	corde E	ee of \$5	00 for each construct	ted well. Visit us at