- <del></del>				R WELL RECOR	D Form WW		SA 82a			
		TER WELL:	Fraction	NITT	NE	Section N	lumber	Township Number	Range Number	
County: (		from personal torrest	SW 1/4	NE 1/4	NE 1/4	32		т 17 s	R 1/ (E)W	
Distance a	ind direction	from nearest town of				ty?				
2 WATER	R WELL OW	<del></del>		west of Que	enemo					
_	Address, Bo		V. 223rd		Drassa	. ich		Poard of Agricult	ure, Division of Water Resource	
	, ZIP Code		nill, KS	66083	Breuer	. 100		Application Numb		
1					1501					
AN "X"	IN SECTIO								ft. 3	
. r	<u>_</u>								ay/yr 4-19-95	
1	i	1 1 1							s pumping gpm	
-	WW	NEX-							s pumping gpm	
<u> </u>	! !								in. to	
. w ⊢				OBE USED AS:				8 Air conditioning	11 Injection well	
-	i		1 Domestic	3 Feedlot					12 Other (Specify below)	
-	- SW	SE	2 Irrigation							
	1	l l wa	•			_	-		yes, mo/day/yr sample was su	
<u> </u>		mitt		acteriological sar	ripie submitteu t	o Departi		ter Well Disinfected? Ye		
TVDE	TE BLANK (	CASING USED:	leu	E Wrought iron	9.00	oncrete tile			Glued X Clamped	
1 Ste		3 RMP (SR)		<ul><li>5 Wrought iron</li><li>6 Asbestos-Cer</li></ul>					Welded	
2 PV		4 ABS				her (speci	-	,	Threaded	
			to 0=100	7 Fiberglass					nreaded	
									ge No •258	
		R PERFORATION M.		in., weight			105./1		-	
				5 Fiberglass	-	PVC_	31	10 Asbestos-		
	1 Steel 3 Stainless steel 2 Brass 4 Galvanized steel							11 Other (specify)		
		RATION OPENINGS		6 Concrete tile					, ,	
	on rencom entinuous slo				Gauzed wrappe		_	8 Saw cut	11 None (open hole)	
					Wire wrapped			9 Drilled holes		
	uvered shutt	, ,			Torch cut			\ , , , , , , , , , , , , , , , , , , ,	ft. toft	
SUNEEIN-F	FENFUNATI									
c	SDAVEL DA								ft. to	
	SHAVEL PA						.π., Fron ft., Fron			
GROUT	MATERIAL			ft. 2 Cement grout	to3 B	***			ft. to ft	
Grout Inter				•					ft. to	
									14 Abandoned water well	
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines  7 Pit privy								storage		
2 Sewer lines 5 Cess pool									16 Other (specify below)	
		er lines 6 Seepage					Fertilizer storage 16 Other (specify below)  nsecticide storage			
Direction for	-	north	pit	3 reedya	iid			ny feet? 300		
FROM	TO		ITHOLOGIC I	OG	FROM				NG INTERVALS	
0	3	Clay-Brown			68			Shale-Black		
3	4	Shale-Yellow	7		70			Shale-Grey		
4	5	Limestone-Ye		12 20 11 200	90			Sandy Shale-Gr	æv	
5	9	Shale-Yellow			100			Sandstone-Grey		
9	24	Limestone-Ye			116			Shale-Grey	<u> </u>	
24	26	Shale-Black			117			Sandstone-Grey	7	
26	37	Shaley Limes	stone-Gre	V	119			Shale-Grey		
37	39	Limestone-Gr		<u>¥</u>	123			Sandstone-Grey	7	
39	41	Shale-Grey	_	- · · · · · · · · · · · · · · · · · · ·	130			Shale-Grey		
41	43	Limestone-Gr			133			Sandstone-Grey	7	
43	44	Shale-Grey			136			Limestone-Grey		
43	55	Sandstone-Gr			130			_		
55			_		14.	7 13	v.	Shale-Grey		
		Limestone-Gr	.еу							
56		Shale-Grey								
61		Shaley Limes		-						
1 CONTR	MUTOR'S (	JH LANDOWNER'S ( , , , , , , , , , , , , , , , , , , ,	UEHTIFICATI(	JN: This water w	vell was (1) con	structed,	(2) reco	nstructed, or (3) plugged	under my jurisdiction and was	
									y knowledge and belief. Kansa	
								on $(mo/day/yr)$ 5.5.		
		me of STRADEF	-					ure) Alla		
								the correct answers. Send top	three copies to Kansas Department	