OCATION OF WATER			m WWC-5 KSA 82a- Section Number	Township Number	Range Number
inty: FBANHL	NE 14	NW 1/4 VI	14 22		R /S/ (E)W*
nce and direction fro	m nearest town or city street a	ddress of well if located wit	thin city?	. /	
SOUTH & F	PAST 2 SOUTH.	LE POMO	NA HS.		
,	R: HEARENT C	BDAY			
, St. Address, Box #	BA & BOX 6			Board of Agriculture,	Division of Water Resource
State, ZIP Code	DAME OF A	5166076		Application Number:	
OCATE WELL'S LOC		COMPLETED WELL 2.	5 # ELEVAT	· · · · · · · · · · · · · · · · · · ·	
N "X" IN SECTION B	BOX:			ft.	
N	Deptin(s) Ground	WATER LEVEL 3.			
NW		p test data: Well water wa			
		gpm: Well water wa			
w !		eterin. to	<i>j.c.</i>	nd 🗢	n. to
"丨!丨	WELL WATER 1	TO BE USED AS: 5 P	ublic water supply 8	Air conditioning 11	Injection well
,	1 Domestic	3 Feedlot 6 O	il field water supply 9	Dewatering 12	Other (Specify below)
3" -	2 Irrigation	4 Industrial 7 La	awn and garden only 10	Observation well	
_ i	Was a chemical/	bacteriological sample subm	nitted to Department? Yes	; If yes	s, mo/day/yr sample was s
<u> </u>	mitted			r Well Disinfected? Yes	No
YPE OF BLANK CAS	SING USED:	5 Wrought iron	8 Concrete tile		Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)		ded
2 PVE	4 ABS				aded
k assing diameter	. 5in. to . 35	# Dia	in to	# Dia	
	surface				
•		.in., weight 2 P. 2 3 P		• •	
_ •	PERFORATION MATERIAL:		(7 PVC)	10 Asbestos-cem	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS	12 None used (o	pen hole)
EEN OR PERFORAT	TION OPENINGS ARE:	5 Gauzed w	<i>r</i> rapped	8 Saw cut	11 None (open hole)
1 Continuous slot	(3 Mill slot)	6 Wire wrap	pped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut		10 Other (specify)	
REEN-PERFORATED	- · · · · · · · · · · · · · · · · · · ·	5 ft. to 7.⊸			to
			♥,		
	From				
GBAVEL DACK		ft. to			to
GRAVEL PACK	INTERVALS: From 2 4	ft. to			to
	INTERVALS: From 2.4	ft. to	5ft., From ft., From	ft. ft. ft.	to
GROUT MATERIAL:	INTERVALS: From . 2.4	ft. to	5	ft. ft. ft. ft.	toto
SROUT MATERIAL: ut Intervals: From.	INTERVALS: From 2.4 From	ft. to	5	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	to
GROUT MATERIAL: ut intervals: From. at is the nearest source	INTERVALS: From . 2.4. From 1 Neat cement 3 ft. to 2.4. te of possible contamination:	ft. to	5	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	toto
AROUT MATERIAL: ut Intervals: From ut is the nearest source 1 Septic tank	INTERVALS: From . 2.4/ From 1 Neat cement 3 ft. to 2.4/ 2 of possible contamination: 4 Lateral lines	ft. to	5	ther	toto
ROUT MATERIAL: It Intervals: From It is the nearest source 1 Septic tank 2 Sewer lines	INTERVALS: From 2.4 From Neat cement it. to 2.4 ce of possible contamination: 4 Lateral lines 5 Cess pool	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon	## 12 Fertiliz	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	toto
ROUT MATERIAL: It Intervals: From. It is the nearest source Septic tank Sewer lines Watertight sewer	INTERVALS: From . 2.4/ From 1 Neat cement 3 ft. to 2.4/ 2 of possible contamination: 4 Lateral lines	ft. to	## 12 Fertiliz	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	toto
ROUT MATERIAL: t Intervals: From. t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer	INTERVALS: From. 2.4 From I Neat cement if to 2.4 be of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From 3 Bentonite 4 C ft. to	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	toto
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank Sewer lines Watertight sewer intervals:	INTERVALS: From. 2.4 From I Neat cement If to 2.4 De of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	## 12 Fertilize ### 13 Insection ### 15	tt. ft. ft. ft. ft. ft. ft. ft. ft. ft.	toto toft. toAbandoned water well Dil well/Gas well Other (specify below)
ROUT MATERIAL: It Intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO	INTERVALS: From. 2.4 From I Neat cement if to 2.4 be of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	toto toft. toAbandoned water well Dil well/Gas well Other (specify below)
ROUT MATERIAL: t Intervals: From. t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer litton from well? OM TO	INTERVALS: From. 2.4 From I Neat cement It to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC REP CLA T RAND STONE	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	tototo
ROUT MATERIAL: t intervals: From t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? DM TO	INTERVALS: From. 2.4 From I Neat cement It to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLA J	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	tototo
ROUT MATERIAL: t intervals: From t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? DM TO	INTERVALS: From. 2.4 From I Neat cement I Neat cement It to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RAND STONE BAND STONE BAND STONE BAND STONE BAND STONE	ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	tototo
ROUT MATERIAL: t intervals: From t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? DM TO	INTERVALS: From. 2.4 From I Neat cement 3ft. to . 2.4. See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RAND STONE SAND STONE SAND STONE SAND STONE SAND STONE SAND STONE	ft. to ft. ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer liston from well? OM TO 3 9 5 3 3 5 5 4 5	INTERVALS: From. 2.4 From I Neat cement I to 2.4 The of possible contamination: 4 Lateral lines 5 Cess pool Ilines 6 Seepage pit LITHOLOGIC RED CLA J RAND STONE SAND STONE	ft. to ft. ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It Intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer litton from well? OM TO 3 0 5 3 3 5 5 4 5 5 4 9	INTERVALS: From. 2.4 From I Neat cement I to 2.4 The of possible contamination: 4 Lateral lines 5 Cess pool Innes 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND STONE	ft. to ft. ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	ft.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer litton from well? OM TO 3 9 9 3 3 5 5 4 5 5 4 9 7 5 6	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 The of possible contamination: 4 Lateral lines 5 Cess pool Innes 6 Seepage pit LITHOLOGIC RED CLA J RAND STONE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer litton from well? OM TO 0 3 3 5 5 4 5 5 4 9 7 5 6	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND Y SHALE SAND Y SHALE SAND Y SHALE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer extion from well? OM TO D D D D D D D D D D D D D D D D D D D	INTERVALS: From. 2.4 From I Neat cement I Neat cement It to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLA J RAND STONE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer extion from well? OM TO 3 6 7 3 9 5 5 4 5 5 4 5 5 4 5 6 6 7 7 5 6 7 6 7 7 6 7 7 7 7 7 8 7 7	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer extion from well? OM TO D D D D D D D D D D D D D D D D D D D	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: t Intervals: From. t is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 5 6 7 7 5 6 7 7 5 6 7 7 5 6 7 7 7	INTERVALS: From. 24 From I Neat cement I neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: It intervals: From. It is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer botton from well? OM TO 3 3 5 3 3 5 5 4 5 5 4 9 7 5 6 7 6 3 3 6 5 5 6 8	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	toto toft. toAbandoned water well Dil well/Gas well Other (specify below)
ROUT MATERIAL: t Intervals: From. is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	INTERVALS: From. 24 From I Neat cement I neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: t Intervals: From. is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	INTERVALS: From. 24 From I Neat cement I neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ SAND STONE	ft. to ft.	ft., From ft., From 3 Bentonite 4 C ft. to	tt. tt. tt. tt. tt. tt. tt. tt.	tototo
ROUT MATERIAL: at intervals: From. at is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer extion from well? OM TO 2 6 7 3 9 5 5 7 5 5 7 7 7 5 6 6 6 7 7 7 5 6 7	INTERVALS: From. 2.4 From I Neat cement I Neat cement It to . 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLA J RAND STONE SAND STONE	ft. to ft. to ft. to Coment grout ft., From 7 Pit privy 8 Sewage lagoon 9 Feedyard LOG	### Style="background-color: blue;"> ### Style="	tt. tt. tt. tt. tt. tt. ft. tt. tt. tt. ft. tt. t	toto ft. to
ROUT MATERIAL: at Intervals: From. at is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer lotion from well? NOM TO 2 6 7 3 0 5 5 7 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	INTERVALS: From . 2.4 From I Neat cement . 3	ft. to ft.	### Style="background-color: red; color: white; background-color: white	ther	toto ft. to
ROUT MATERIAL: t intervals: From. t is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 0 6 7 3 0 5 5 7 7 5 6 8 7 7 7 7 CONTRACTOR'S OR obleted on (mo/day/year	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to . 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RED CLAJ RAND STONE SAND STONE	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lagoon Feedyard LOG CON: This water well was (### State of the contract of t	ther	toto ft. to
ROUT MATERIAL: t Intervals: From. Is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 3 3 3 5 5 4 5 5 4 9 7 5 6 7 7 4 CONTRACTOR'S OR oleted on (mo/day/year Well Contractor's Letter of the co	INTERVALS: From 24 From I Neat cement I Neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC REP CLA J RAND STONE SAND STONE	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lagoon Feedyard LOG LOG ION: This water well was (### Style="background-color: red; color: white; background-color: white	ther	toto
ROUT MATERIAL: t intervals: From. t is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? OM TO 3 3 5 5 7 5 5 7 7 6 8 7 7 7 7 6 9 8 7 7 9 9 8 7 7 9 9 8 7 7 9 9 8 7 7 9 9 8 7 7 9 9 8 7 7 9 9 9 8 7 7 9 9 9 8 7 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	INTERVALS: From 24 From I Neat cement I Neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC REP CLA J RAND STONE SAND STONE	ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lagoon Feedyard LOG LOG ION: This water well was (### Style="background-color: red; color: white; background-color: white	ther	toto
ROUT MATERIAL: Intervals: From is the nearest source Septic tank 2 Sewer lines 3 Watertight sewer stion from well? DM TO 3	INTERVALS: From. 2.4 From I Neat cement I Neat cement I to 2.4 See of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC RAND STONE SAND STONE	ft. to ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lagoon Feedyard LOG CON: This water well was (This Water Well Fames for the series) Separate of the series of the ser	### Style="background-color: light;">ft., From ft., From ft., From ft., From ft., From ft., From ft., From gt., From	or guest the correct answers, especially and correct answers.	toto toto Abandoned water well Dil well/Gas well Other (specify below) GIC LOG adder my jurisdiction and whowledge and belief. Kansand toppare copies to Kansas
ROUT MATERIAL: Intervals: From is the nearest source 1 Septic tank 2 Sewer lines 3 Watertight sewer tion from well? M TO 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	INTERVALS: From 24 From I Neat cement I Neat cement I to 24 The of possible contamination: 4 Lateral lines 5 Cess pool lines 6 Seepage pit LITHOLOGIC REP CLA J RAND STONE SAND STONE	ft. to ft. to ft. to ft. to Coment grout ft., From Pit privy Sewage lagoon Feedyard LOG CON: This water well was (This Water Well Fames for the series) Separate of the series of the ser	### Style="background-color: light;">ft., From ft., From ft., From ft., From ft., From ft., From ft., From gt., From	or guest the correct answers, especially and correct answers.	toto toto Abandoned water well Dil well/Gas well Other (specify below) GIC LOG adder my jurisdiction and whowledge and belief. Kansand toppare copies to Kansas