WATER WELL RECORD	Form WWC-5	Division of Water Res			
1 LOCATION OF WATER WELL: County: Franklin	Fraction SW 1/4 SE 1/4 NE 1/4 NE 1/4	Section Number To	17 S	R 19   77E   □W	
Street/Rural Address of Well Location; if unknown, distance & direction		Global Positioning Sys	stem (GPS) in	formation:	
from nearest town or intersection: If at owner's address, check here .		Latitude:			
South Main Street and 17th Ottawa, KS 66067		Global Positioning System (GPS) information: Latitude: 32.5.9.0			
2 WATER WELL OWNER: KDHE - BER		Datum:  WGS 84, Collection Method:	」NAD 83, <b>∐</b>	NAD 27	
RR#, Street Address, Box #: 1000 SW Jackson St. Ste. 410		GPS unit (Make/Model:)			
City, State, ZIP Code : Topeka.	☐ Digital Map/Photo, Est. Accuracy: ☑ <3 m,				
3 LOCATE WELL	COMPLETED WELL 28	Δ			
WITH AN "X" IN SECTION BOX: Depth(s) Ground	hwater Encountered (1) 20	ft. (2).N/A ft. (3).N/A ft.			
N WELL'S STATI	C WATER LEVEL 26. 911ft.	ft. below land surface measured on mo/day/yr3.[2.4].[5			
Pump	Pump test data: Well water was NAft. after NA hours pumping. NA gpm				
W NW NEX - EST. YIELD. N/A gpm. Well water was .N/A ft. after. N/A hours pumping. N/A gpm. well water was .N/A ft. after. N/A hours pumping. N/A gpm. Bore Hole Diameter 8.25 in. to A ft. and .N/A in. to .N/A ft.					
W					
ow or Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Irrigation   Industrial   Domestic-lawn & garden M Monitoring well !!!!!!!!!!!!!!!!!!!!!!!!!!!!					
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No					
S If yes, mo/day/yr sample was submitted.N/A					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded					
Casing diameter .2 in. to					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel					
Brass Galvanized Steel None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:  Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From					
SCREEN-PERFORATED INTERVALS: From. 1.3					
From. N/A ft. to N/A ft., From N/A ft. to N/A ft.  GRAVEL PACK INTERVALS: From. \( \) \( \					
From N/A ft. to N/A ft., From N/A ft. to N/A ft.					
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☑ Other Concrete 0 to 2-feet					
Grout Intervals: From .2					
What is the nearest source of possible contamination:					
☐ Septic tank     ☐ Lateral lines     ☐ Pit privy     ☐ Livestock pens     ☐ Insecticide storage     ☐ Other (specify below)       ☐ Sewer lines     ☐ Cesspool     ☐ Sewage lagoon     ☑ Fuel storage     ☐ Abandoned water well					
☐ Watertight sewer lines ☐ Seepage p					
Direction from well		rom well I UU!			
FROM TO LITHOLOG		TO LITHO. LOG (	cont.) or PLU	GGING INTERVALS	
0 0.5 Concrete 4"/	6:1)				
0.5 5.5 Sity CLAY DKgs	ax stained tex		***************************************		
*	cay to Jan				
majort Stiff Some	Fe oxide Nodulos				
20 25 Very sondy CLAY	orang to Lt				
Sigh Worst w	ed Stiff				
25 28 South CLAY Oran					
Soft W/chert of	graves				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was   ☐ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on (mo/day/year) 3 14 15 and this record is true to the best of my knowledge and belief					
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on Pho/day/vear) 4/5/2015					
under the business name of RAZEK Environmental LLC by (signature)					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					

http://www.kdheks.gov/waterwell/index.html