WATER WELL RECO	RD	Form W	WC-5	Di	vision of Wate	er Resources App. N	_{.o.} L	
1 LOCATION OF WATER WELL:		Fraction NW45E	1/254)1	Secti		Township No.		
Street/Rural Address of Well Location; if unknown, distance & direction					l Positionin	g System (GPS) ji	nformation:	
from nearest town or intersection: If at owner's address, check here .					Global Positioning System (GPS) information: Latitude:			
2147 EISENHOWER ROAD OTTAWA, KS 66067				Long	Longitude:			
					Elevation:			
2 WATER WELL OWNER: DOUG ALAGNA / JOHN STEWART] NAD 27	
RR#, Street Address, Box #: 10345 W. 177TH TERRACE					Collection Method: GPS unit (Make/Model:)			
City, State, ZIP Code	E, KS 66221			Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
	OLATTIC,	, NO 0022 I		Est. A	ccuracy: 🔲	<3 m, 🔲 3-5 m, 🔲] 5-15 m, □ >15 m	
3 LOCATE WELL			- 200					
SECTION BOX: D	X: Depth(s) Groundwater Encountered (1)							
	WELL SSTATIC WATER LEVEL							
E	r was r was		after	hours pum	nning gnm			
W NW NE E EST. YIELD						.ft.		
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
SWA SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well CLOSED LOOP								
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
S If yes, mo/day/yr sample was submitted								
mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other HD POLYETHYLENE								
CASING JOINTS: Glued Clamped W Welded Threaded								
Casing diameter .3/4 in. to .200 ft., Diameter in. to ft., Diameter ft.								
Casing height above land surface. 36 in., Weight SDR11 lbs./ft., Wall thickness or gauge No. 160 PSI								
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE: (a) :								
SCREEN OR PERFORATION OPENINGS ARE: No. Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
6 GROUT MATERIAL: Neat cement Cement grout P Bentonite Other								
What is the nearest source of possible contamination:								
Septic tank								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well								
Direction from well								
FROM TO	LITHOLOGIC	LOG	FROM	ТО	LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
0 12 SOIL/CLA	<u>,Y</u>					· · · · · · · · · · · · · · · · · · ·		
12 44 SHALE 44 70 LIME			ļ				**************************************	
			000	2	E 2001 BO	DEC DI LICCED	\A/ITI I	
70 78 SHALE 78 89 LIME			200	3		RES PLUGGED LID BENTONITE		
89 104 SHALE					111011301	LID BERTORITE		
104 133 LIME								
133 200 SHALE						······································		
100 200 011/122								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ✓ plugged								
under my jurisdiction and was completed on (mo/day/year) .07/21/20.15 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No. 561 This Water Well Record was completed on (mo/day/year) 07/23/2015								
under the business name of .	.EVANS.ENEF	rgy developme	NT. INC	by (s	signature)	TATE C	-	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html