

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Franklin</u>		<u>NE 1/4 NE 1/4 NE 1/4</u>	<u>14</u>	<u>T 17 S</u>	<u>R 19 E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>216 E 23rd Street, Ottawa 210 W. 23rd St. Mule</u>					
2 WATER WELL OWNER: <u>Edward Franklin</u> (KGS, Per Driller, 6/1/2017)					
RR#, St. Address, Box #: <u>Box 352</u> Board of Agriculture, Division of Water Resources					
City, State, ZIP Code: <u>Garnett, KS. 66032</u> Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>12.5</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. <u>None</u> ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>> 12.5</u> ft. below land surface measured on mo/day/yr <u>3-9-95</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
Bore Hole Diameter. in. to ft., and in. to ft.					
WELL WATER TO BE USED AS:					
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well					
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> ; If yes, mo/day/yr sample was submitted					
Water Well Disinfected? Yes <u>No</u>					
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass <u>Threaded</u>					
Blank casing diameter <u>2</u> in. to ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface <u>0</u> in., weight lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot <u>3-Mill slot</u> 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>2.5</u> ft. to <u>12.5</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>2</u> ft. to <u>12.5</u> ft., From ft. to ft.					
6 GROUT MATERIAL: <u>1</u> Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other					
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage					
Direction from well? How many feet?					
FROM		TO		LITHOLOGIC LOG	
FROM		TO		PLUGGING INTERVALS	
0		.5		Gravel - Fill	
.5		4.0		Clay w/ silt dk brown-ges	
4.0		12.0		Clay w/ silt lt brown-ggs dr	
12.0		12.5		Shale-gray-bedrock	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>3-22-95</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>438</u> This Water Well Record was completed on (mo/day/yr) <u>3-13-95</u> under the business name of <u>KCTL</u> by (signature) <u>[Signature]</u>					