WATER WELL RECORD Form WWC-5							r Resources App. No	_{D.} L	
		OF WATER WELL:	Fraction Sw 14 Se 14 Se		Section	on Number	Township No.	Range Number	
County	y: M	arion	SW 14 Se 14 Se	1/4 1/4		/	T /7 S	R 2 □W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here									
from hearest town of intersection. If at owner's address, check here						Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
34 N + 22						T1 (1)			
32 N Tampa 2 WATER WELL OWNER: Charles StinchComb					Datun	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
RR#, Street Address, Box #: 745 Lamar Ln.						Collection Method: GPS unit (Make/Model:)			
C't. Ct. 7ID C. 1						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
		TUSS	ell, Kg. 67	665			3 m, □ 3-5 m, □		
3 LOCA		LL I			2	A			
	WITH AN "X" IN SECTION BOX: 4 DEPTH OF COMPLETED WELL ft. (2) ft. (3) ft. (3) ft. (3)								
N WELL'S STATIC WATER LEVEL 20ft. below land surface measured on mo/day/yr 3								ay/yr. 3	
Pump test data: Well water wasft. after hours pumping								ping gpm	
	W NW NE E ST. YIELD. 2. Dgpm. Well water was								
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well							niection well		
CW	M Domestic								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well									
Was a chemical/bacteriological sample submitted to Department? Yes No									
S If yes, mo/day/yr sample was submitted									
Water well disinfected: 2 Tes 110									
5 TYPE OF CASING USED: Steel YPVC Other Other									
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in to ft. Diameter in to ft. Diameter in to ft.									
Casing diameter in. to ft., Diameter in. to ft., Diameter ft., Diameter in. to ft., Diameter ft., Casing height above land surface 12 in., Weight S. B. lbs./ft., Wall thickness or gauge No. 214									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ Other (Specify)									
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)									
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.									
GRAVEL PACK INTERVALS: From									
From ft. to ft., From ft. to ft.									
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other									
Grout Inte			•	a	ft. to	It.,	From	. tt. tott.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well									
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well □ Direction from well In Pasture □ Distance from well In Cattle									
FROM	TO	LITHOLOG		FROM	TO TO			IGGING INTERVALS	
	35		ile Lod	PROM		Lillio. L	00 (cont.) <u>or</u> 1 20	OON O INTERVALES	
35		Some Wate	<i>'</i>						
34	113	P. Charle	<i>' o</i>	+					
35	43	Gray Shal	<u>e</u>						
43	44	Water							
1121		1							
44.	50	Gray Sha	1e						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year)									
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)									
under the business name of Bank hu.S									
		Use typewriter or ball point per Kansas Department of Health							
Telephone 1	785-296-	5522. Send one copy to WAT							
http://www.kdheks.gov/waterwell/index.html. KSA 82a-1212									
1707 079-1	414								