LOCATION OF WATER WELL: Fraction SE 1/4 NW 1/4 NE 1/4 1 T 17 S R 20	er Resou
Distance and direction from nearest town or city street address of well if located within city? 1 1/2 miles North of Peoria WATER WELL OWNER: Killough R#, St. Address, Box #:	below) On nple was X
WATER WELL OWNER: Killough R#, St. Address, Box #: LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 15.5.5. ft. below land surface measured on mo/day/yr .6./23/93. Pump test data: Well water was	below) On nple was X
WATER WELL OWNER: Killough ##, St. Address, Box #: ##, Application Number: ##, Depth(s) Groundwater Encountered 1. ##, St. Vield	below) On nple was X
Board of Agriculture, Division of Water FApplication Number: Application Number: Application Number: Application Number: DEPTH OF COMPLETED WELL. 1.73. ft. ELEVATION: 95.99 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL. 1.55. ft. below land surface measured on mo/day/yr . 6./2.3/93. Pump test data: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Est. Yield gpm: Well water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify beld). 2 Irrigation 4 Industrial 7 Lawn and garden only Monitoring well	below) On nple was X
Application Number: OCATE WELL'S LOCATION WITH AN 'X" IN SECTION BOX: Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 15.5. ft. below land surface measured on mo/day/yr 6./23/93. Pump test data: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Best. Yield gpm: Well water was ft. after hours pumping. Est. Yield gpm: Well water was ft. after hours pumping. Best. Yield gpm: Well water was ft. afte	below) On nple was X
Application Number: COCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 15.5. ft. below land surface measured on mo/day/yr 6./23/93. Pump test data: Well water was ft. after hours pumping. But Well WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes	below) On nple was X
Depth of Completed well in the second with the completed well in the second water supply and the complete well in the second water supply and the second water was submitted to Department? Yes work water well Disinfected? Yes work water wate	below) On onple was X ped
Depth(s) Groundwater Encountered 1	below) On onple was X ped
WELL'S STATIC WATER LEVEL . 15 . 5	below) On nple was X
Pump test data: Well water was ft. after hours pumping fest. Yield gpm: Well water was ft. after hours pumping fest. Yield gpm: Well water was ft. after hours pumping fest. Yield gpm: Well water was ft. after hours pumping fin. to ft. after hours pumping fin. after hours pumping fin. to ft. after hours pumping fin. after hours pumping f	below) On nple was X
Est. Yield gpm: Well water was ft. after hours pumping break ft. after hours pumping ft. after hours p	below) On nple was X
Est. Yield gpm: Well water was ft. after hours pumping Well Water was ft. after hours pumping Bore Hole Diameter 5. 7./8 in. to 17. 3 ft., and in. to Well Water TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, mo/day/yr sample witted Water Well Disinfected? Yes No. X TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped on the concent of the concent	below) o.n nple was X ped
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	below) On nple was X ped
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bel 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	below) On nple was X ped
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify bell 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	onnple was X
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well	onnple was X
Was a chemical/bacteriological sample submitted to Department? Yes	nple was X ped
\$ mitted \$ Water Well Disinfected? Yes No X TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	X ped
TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued	ped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded	
2 PVC 4 ABS 7 Fiberglass Threaded. X. nk casing diameter 2 in. to 15.3 ft., Dia in. to ft., Dia in. to sing height above land surface 30 in., weight Ibs./ft. Wall thickness or gauge No. Sch 40. PE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
nk casing diameter 2 in. to .153 ft., Dia in. to ft., Dia in. to ft., Dia in. to sing height above land surface 30 in., weight lbs./ft. Wall thickness or gauge No. Sch .40. PE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
nk casing diameter 2 in. to .153 ft., Dia in. to ft., Dia in. to ft., Dia in. to sing height above land surface 30 in., weight lbs./ft. Wall thickness or gauge No. Sch .40. PE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	
sing height above land surface30	
PE OF SCREEN OR PERFORATION MATERIAL: 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	D
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	U
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)	
REEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open to	en hole)
1 Continuous slot 3 Mill_slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
REEN-PERFORATED INTERVALS: From	
From	
GRAVEL PACK INTERVALS: From	
From ft. to ft., From ft. to	
out Intervals: From0ft. to11.6ft., From173ft. to175ft., Fromft. to	
nat is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water was a source of possible contamination:	
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	1
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
ection from well? North How many feet? 1900	
ROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5	
0 3.5 Clay, red-brown, fat	elow)
O 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5 Well No. TOB - 20 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1))constructed, (2) reconstructed, or (3) plugged under my jurisdiction	elow)
O 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5 Well No. TOB - 20 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction pleted on (mo/day/year)	elow)
O 3.5 Clay, red-brown, fat Plugged 0 - 11.6 3.5 9.6 Ls., brown, seamy 9.6 17.3 Shale, gray-green, soft 7.3 17.5 Ls., brown, hard Plugged 17.3 - 17.5 Well No. TOB - 20 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged ungar my jurisdiction	elow)