## WATER WELL RECORD

	DRILLERS LOG OF WELL			Well Owner Robert E. Snover	
	FROM (FT.)	TD (FT.)	KIND OF MATERIAL, COLOR, ETG. (NOTE WATER ZONES, AMOUNT, QUALITY)	Address 337 Crawford, Clay Center Zs	
18	0	18	Soil & Joint Clay	Drilling Contractor J. R. Lwank - Owner	
ž	18	20	White line	Gloral H. Swank - Orillar	
6	20	26	Blue Shale	Date Drilled June 6 1960	
4	26	30	Blue line	Method of Drilling Calle Jools	
13	30	43	White lime	(Cable tool, rotary, reverse rotary, etc.)	
//	43	54	Gray Shale	Casing Schedule A Just Lali 6 14 (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)	
<sub>2</sub> /	54	55	Brown Shale		
35	55	90	Gray Shale	Screen Data (if any):	
3	90	93	White line	(Length, Diameter, Slot Size, Setting)	
1	93	94	Blue Sand	Measured depth to water on completed well (Static Level) is	
28	94	122	White lime	ft. below	
				(Land Surface, Top of Casing, Etc.)  TESTED YIELD: 14 Gal gallons per Hour  (Min., Hour)  as determined by Baling Test Pumping, Etc.)	
				Drawdown:ft, afterhrs.	
				pumping at gal. per minute.	
				Remarks:	
	-				
				LOCATION OF WELL Topographic Sheet  [Show location in Section Plat] Elev.	
				Show location in Section Plat]  NE 1 NE 1 Sec. 33	
				7 20 E	
				T. 17 S., R. 20 E. W.	

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."  $\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \int_{-\infty}^{\infty}$