WATER WELL RECORD

DRILLERS LOG OF WELL

FROM- (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
2-9	2	Soil
3	!	
6	11	Lime (Little Water)
3 3	44	Sandy Shale
11	55	Sand (Little Water)
51	106	Sandy Shale
18	124	Lime
26	150	Sandy Shale
1	151	Lime
	151	Total Depth
		1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		· · · · · · · · · · · · · · · · · · ·
		-

Well Owner Elmer Tankersley
Address Rantoul, Kansas
Drilling Contractor_Carl Moore
Wellsville, Kansas
Date DrilledNovember 12, 1969
Method of Drilling Cable Tool (Cable tool, rotary, reverse rotary, etc.)
Casing Schedule 151 ft. of 7 inch pipe (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight) (Used Steel)
Screen Data (if any): Casing Torch Perforated (Length, Diameter, Slot Size, Setting)
Measured depth to water on completed well (Static Level) is
ft. below Land surface (Land Surface, Top of Casing, Etc.)
(Land Surface, Top of Casing, Etc.)
(Land Surface, Top of Casing, Etc.) TESTED YIELD: gallons per n 24 hours (Min., Hour)
as determined by Bailing (Bailing, Test Pumping, Etc.)
(Bailing, Test Pumping, Etc.)
Drawdown: ft, after hrs.
pumping at gal. per minute.
REMARKS:
Well drilled 10 inch
ravel packed from bottom to 4 ft. of surface.
emented from 14 ft. to surface.
LOCATION OF WELL Topographic Sheet
[Show location in Section Plat] Elev
14 Sec. 32
T. 17 S., R. 21 E. W.

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."