WATER WELL RECORD	Form W	WC-5	Di	vision of Wate	r Resources App. N	o	
1 LOCATION OF WATER WE	LL: Fraction	Fraction		Section Number Township No. Range Number			
County: Mian:	SE 14 NO 145L)	14 NW 1/2		4	T 17 S	R 🔾 X 🔽 E □W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here							
from nearest town or intersection	: If at owner's address, check	here 🔼.		Latitude:			
				Longitude: (in decimal degrees) Elevation:			
				Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Brian Markovich			Collec	Collection Method:			
RR#, Street Address, Box #: 2 8997 Restal Character				GPS unit (Mal	ke/Model:	)	
City, State, ZIP Code : Paola, KS Cho 1/ Digital Map/Photo, Topographic Map, Land S Est. Accuracy: 3 s, 3-5 m, 5-15 m, >15 i						c Map, ∐ Land Survey	
3 LOCATE WELL							
WITH AN "X" IN 4 DEPT	Plugged HOF COMPLETED WELI	L	0.0	ft.	6-200 60	ore s	
SECTION BOX: Depth(s)	Depth(s) Groundwater Encountered (1)None. ft. (2) ft. (3) ft.						
N WELL'S	, WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr						
	Pump test data: well water was						
-3NW ND 1							
W Bore Hol	F E Bore Hole Diameter						
Dom.	Demostic Decider Oil field water supply Devetoring Other (Specify below)						
SW   SE     Domestic   Feedfor   On field water supply   Dewatering   Other (Specify below)     Irrigation   Industrial   Domestic-lawn & garden   Monitoring well C. LosedLoop							
Was a chemical/bacteriological sample submitted to Department?   Yes   No							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? ☐ Yes 🛣 No							
5 TYPE OF CASING USED: Steel PVC Other .H.D. Paly. e.h.y.leng							
CASING JOINTS:  Glued  Clamped  Welded  Threaded  Fusion							
Casing diameter							
Casing height and surface							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel     ☐ PVC     ☐ Other (Specify)       ☐ Brass     ☐ Galvanized Steel     ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
From							
GRAVEL PACK INTERVALS: From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From 200 ft. to							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)							
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well							
☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well/gas well         Direction from well       Distance from well							
	IOLOGIC LOG	FROM	TO	<del>,</del>		GGING INTERVALS	
0 7 Soil+clay	.020010200	TRON		211110.2	<u> </u>		
7 13 line							
13 25 Shale							
25 48 lime		200	3	6-200	1' Boces DI	ugged with	
48 67 Shale				High		Aby ite	
67 83 line				J			
83 185 Shale							
185 200 line	· · · · · · · · · · · · · · · · · · ·						
	<del></del>					THE RESERVE AND ADDRESS OF THE PERSON OF THE	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, □ reconstructed, or ★ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No 5.4.1 This Water Well Record was completed on (mo/day/year)							
under the business name of Evans Energy Dev. Inc. by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answess. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							