WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. No	o. L	
	Fraction	Section Number	Township No.	Range Number	
County: Miami	14 NW 14 NW 14 NW 14	17	T 17 S	R J 3 12 IE □W	
Street/Rural Address of Well Location; if		Global Positioning			
from nearest town or intersection: If at ov	Latitude:				
30331 Lome Star Paola, KS 66071		Elevation: (in decimal degrees)			
	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
Concensi Mende.					
City, State, ZIP Code : 30 331 Cone Srati				c Map, Land Survey	
Paola, K\$ 66071 Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m					
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 200 ft. 4.200' Bore S					
	N WELL'S STATIC WATER LEVELft. below land surface measured on mo/day/yr				
Pump test data: Well water wasft. after hours pumping gpm					
EST. YIELD					
W E Bore Hole Diameter in. to					
WELL WATER TO BE USED AS: Public water supply Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
Industrial Domestic-lawn & garden Monitoring well Closed 190.					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
Water wen districted: Tes (2 140					
5 TYPE OF CASING USED: Steel PVC A Other H.QPolyeth.y./En.e					
Casing diameter 3.4 in. to					
Casing height above land surface					
TYPE OF SCREEN OR PERFORATION MATERIAL: None					
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify) ☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE: None					
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From					
GRAVEL PACK INTERVALS: From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From 20.0 ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: None Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
☐ Sewer lines ☐ Cesspool	☐ Sewage lagoon ☐ Fuel storag	e	d water well	(- F)	
☐ Watertight sewer lines ☐ Seepage pit					
Direction from well FROM TO LITHOLOGIC		from well TO LITHO. L		GGING INTERVALS	
	143 Shale	TO LITTO. D	od (cont.) <u>or</u> 1 20	OONO IIVIERVAES	
5 7 lime - 1143-1	165 line				
7 28 Shale 165-1					
28 31 lime > 169-					
31 57 Shale (173.	-200 Stale 200		Bores Plu	. / 🏲	
57 73 line (Ni	gh Solids	Bentonite	
73 87 Shale 87 115 lime					
115 119 Shale					
119 141 lime					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, \square reconstructed, or X plugged					
under my jurisdiction and was completed on (mo/day/year) . 10 26 10. and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No 56.1 This Water Well Record was completed on (mo/day/year) 16 2.6					
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies					
(white, blue, pink) to Kansas Department of Health an				t answers. Send three copies	