WATER WEI	L RECORD	Form W	WC-5	Di	ivision of Wate	er Resources App. N	No.	
	OF WATER WELL:	Fraction	ر ۱		on Number	Township No.	Range Number	
County: Miam;		1/4 N L)/4 N L			_عاد_	T J S	Rea DE □W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Global Positioning System (GPS) information: Latitude:			
non nearest town or intersection. If at owner 3 address, eneek note 21.					Longitude:			
						Elevation:		
2 WATER WI	ELL OWNER: Jim 6	Scou			Datum: ☐ WGS 84, ☐ NAD 83, ☐ NAD 27 Collection Method:			
RR#, Street Address, Box #: 404 E. College					GPS unit (Make/Model:)			
City, State, ZIP Code : Paola, KS 66071				☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☐ 3-5 m, ☐ 5-15 m, ☐ >15 m				
3 LOCATE WE	1 4014	000	/ 	Est. A	Accuracy: [<	3 m, <u></u> 3-5 m, <u></u>	<u>J 5-15 m</u> , <u></u> >15 m	
WITH AN "X"	"IN 4 DEPTH OF	Plugged COMPLETED WEL	L,	200	? ft.	4-200	bores	
SECTION BO	X: Depth(s) Ground	Depth(s) Groundwater Encountered (1)						
WELL'S STATIC WATER LEVEL!.40ft. below land surface measured on mo/day/yr.31								
ECT VIELD 5 cmm Well water				ft. after hours pumping gpm				
w NW N	E Bore Hole Diam	eter kin. to .	in. toft., andin. toft.					
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well								
□ Domestic □ Feedlot □ Oil field water supply □ Dewatering □ Other (Specify below) □ Irrigation □ Industrial □ Domestic-lawn & garden □ Monitoring well .Closed								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile	water well distil	fected? Tes X		_				
5 TYPE OF CASING USED: Steel PVC DOther H. D. Poly R. H. Ayleo. C								
CASING JOINTS: Glued Clamped X Welded Threaded Fusion								
Casing diameter 3/9 in. to 200 ft., Diameter in. to ft., Diameter in. to ft. Casing height land surface 36 in., Weight 508!! lbs./ft., Wall thickness or gauge No. 16.0. PST.								
TYPE OF SCREEN OR PERFORATION MATERIAL: No. 0								
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)								
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: None								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other								
Grout Intervals: From 200 ft. to ft., From ft. to ft., From ft. ft. of ft.								
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
	n well							
FROM TO	LITHOLOG		FROM	TO			UGGING INTERVALS	
0 5	Soil+clay							
5 21 21 47 47 67	lime		_					
21 47	Shale							
67 166	line Shale		200	.3	4-200	bares plu	aned	
166 174	lime		800		With		olid Bentonite	
174 195	Shale					J		
195 200	lime							
				-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, □ reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) 311. 2. and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No								
under the business name of .E. V. QAS. Energy D. E. V by (signature)								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
KSA 82a-1212								