	WATER WELL RECORD	Form WWC-5 KSA 82a-1	212 ID No. NW-94	
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: Marion	SW 1/2 SW 1/2 S	SW ½ ½ 1	T 17 (s/N	R 3 EN
Distance and direction from nearest town or city street address of well if located within city?				
2 WATER WELL OWNER: USDA/CCC				
RR#, St. Address, Box # : Stop 051	13, Room 4717-S/ 1400 In	dependence Ave SW	Board of Agriculture, Divi	sion of Water Resources
City, State, ZIP Code : Washing	gton, DC 20250-0513		Application Number:	
3 LOCATE WELL'S LOCATON WITH 4	DEPTH OF COMPLETED WELL	55.5 e sis	(ATION: 1.4	40.093'
		55.5 ft. ELEV		
X X C C C C C C C C C C C C C C C C C C	vepth(s) Groundwater Encountered	51 the halow land a	. 2 N/A ft. surface measured on mo/day/	
	Pump test data: Well w		t after N/A hours o	umping N/A gpm
NWNE	st. Yield N/A gpm: Well w	rater was N/A	t. after N/A hours p	umping N/A gpm
	ore Hole Diameter 4.25 in.	to 21	ft. and 3.25 Pilot in	. to 55.5 ft.
	VELL WATER TO BE USED AS:	3 Public Water Supply	O AR CONGRIONING F	I/ Hillaction Man
sw se	1 Domestic 3 Feed lot	6 Oil field water supply	9 Dewatering (2 c) Monitoring well	2) Other (Specify below)
	2 Irrigation 4 Industrial Vas a chemical/bacteriological sam			
	vas a chemica/bacteriological samp ubmitted N/A	•	nter Well Disinfected? Yes	No X
5 TYPE OF BLANK CASING USED:	5 Wrought Iron	8 Concrete tile	CASING JOINTS: Glue	
1 Steel 3 RMP (SF	_	nent 9 Other (specify belo		
(2) PVC 4 ABS	7 Fiberglass	none o canor (speedily zone	,	aded X
	in. to 45 ft., Dia	N/A in to N/A	ft., Dia N/A	
Casing height above land surface Flu				
TYPE OF SCREEN OR PERFORATION MATERIAL: (7)PVC 10 Asbestos-cement				
1 Steel 3 Stainless steel 5 Fiberglass PRMP (SR) 11 Other (specify)				
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)				
SCREEN OR PERFORATION OPENING 1 Continuous slot 3 M		auzed wrapped vire wrapped	8 Saw cut 9 Drilled holes	11 None (open hole)
		orch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 45 ft. to 55 ft. From ft. to ft.				
	Fromft. to			to ft.
GRAVEL PACK INTERVALS:	From 44 ft. to		From ft. 1	toft.
	From ft. to		From	to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other BenSeal Chips				
Grout Intervals From 40 (#3) ft. to 0.5 ft. From 44 (#4) ft. to 40 ft. From N/A ft. to N/A ft.				
What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/ Gas well				
				ner (specify below)
	S Seepage pit 9 Fee	•	cticide storage	iai (apacity bolotty
Direction from well?		How many		0' East
FROM TO CODE	LITHOLOGIC LOG	FROM TO	PLUGGING II	NTERVALS
	Soil			
	and Clay y Clay			
	Clay with some Sand			, <u>,</u>
	Clay and Sand			
54' 55.5' Clay	y and Silt			.,
7 CONTRACTOR'S OR LANDOWNED	S CERTIFICATION: This waster was	was (1) constructed (0) reco	nstructed or (3) physical under	r my jurisdiction and was
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 09/27/06 and this record is true to the best of my knowledge and belief. Kansas				
Water Well Contractor's License No. 680 This Water Well Record was completed on (rps/day/yr) 10-13-06				
under the business name of	Delta Environme		by (signature) 1	W
INSTRUCTIONS:. Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Emirronniert, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.				