LOCATION OF WATER V	The state of the s	Section Number Township Number Range Number
inty: Mari e		E 1/4 2 T 17 S R 3 E
tance and direction from i ^I and D Street – Ran	nearest town or city street address of well if located	I within city?
	Agri-Producers, Inc.	
#, St. Address, Box # :	205 Main St.	Board of Agriculture, Division of Water Resources
y, State, ZIP Code :	Tampa, KS 67483	Application Number:
LOCATE WELL'S LOCATAN "X" IN SECTION BOX	CONWITH 4 DEPTH OF COMPLETED WELL	80 ft. ELEVATION: 1 ft. 2 ft. 3 ft. 36.28 ft. below TOC measured on mo/day/yr 09/13/13
	Depth(s) Groundwater Encountered	1 ft. 2 ft. 3 ft.
__\\	WELL'S STATIC WATER LEVEL	1 ft. 2 ft. 3 ft. 3 ft. 3 6.28 ft. below TOC measured on mo/day/yr 09/13/13
i	Pump test data: vveil wat	ter was π. arter nours pumping gpm
W	E Est. Yield gpm: Well wa	ter was ft. after hours pumping gpm
	Bore Hole Diameter 8.25 in. to	80 ft. and in. to ft. Public water supply 8 Air conditioning 11 Injection well Oil field water supply 9 Dewatering 12 Other (Specify below)
sw s	SE - WELL WATER TO BE USED AS: 5 1 Domestic 3 Feed lot 6	Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7	Lawn and garden (domestic) 10 Monitoring well
S		e submitted to Department? Yes No X If yes, mo/day/yr sample was
	submitted	Water Well Disinfected? Yes No X
TYPE OF BLANK CASIN	IG USED: 5 Wrought Iron	
1 Steel	3 RMP (SR) 6 Asbestos-Ceme	ent 9 Other (specify below) Welded
2 PVC	4 ABS 7 Fiberglass	Threaded Flush
ank casing diameter	2 in. to 70 ft., Dia	in. to ft., Dia in. to ft.
		0.703 lbs./ft. Wall thickness or gauge No. SCH. 40
PE OF SCREEN OR PER		7 PVC 10 Asbestos-cement
1 Steel 2 Brass	3 Stainless steel 5 Fiberglass 4 Galvanized steel 6 Concrete tile	8 RMP (SR) 11 Other (specify) 9 ABS 12 None used (open hole)
	ON OPENINGS ARE: 5 Ga	uzed wrapped 8 Saw cut 11 None (open hole)
1 Continuous slot	3 Mill slot 6 Wi	re wrapped 9 Drilled holes
2 Louvered shutter	4 Key punched 7 Tol	rch cut 10 Other (specify)
CREEN-PERFORATED IN		80 ft. From ft. to ft.
and the second s	From ft. to	ft. From ft. to ft.
GRAVEL PACK INT		80 ft. From ft. to ft. ft. From ft. to ft.
Topourmateora		
JGROUT MATERIAL.	1 Neat cement 2 Cement grout	
	of possible contamination:	ft. toft. Fromft. toft. 10 Livestock pens 14 Abandoned water well
1 Septic tank	4 Lateral lines 7 Pit pr	그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그
2 Sewer lines	5 Cess pool 8 Sewa	nge lagoon 12 Fertilizer storage 16 Other (specify below)
Watertight sewer line	nes 6 Seepage pit 9 Feed	7/11/1
irection from well?	CODE I LITUOLOGIO LOS	How many feet? FROM TO PLUGGING INTERVALS
FROM TO 0	CODE LITHOLOGIC LOG Topsoil, clay, with roots	FROM TO PLUGGING INTERVALS
3 48	Clay, brown, silty	
48 60	Shale, olive	
60 80	Lithology not logged	
	terin makengan kadalah digan di persenjah ngadi perdamati pertamat di atamat di terum 1975 and 1975 and 1975 a	
		000
		GPS: Latitude: N 38.597023
		Longitude: W 97.061156
	ANDOWNER'S CERTIFICATION: This water well	was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
CONTRACTOR'S OR L		
ompleted on (mo/day/yr)	09/12/13	and this record is true to the best of my knowledge and belief. Kansas
CONTRACTOR'S OR Lompleted on (mo/day/yr) Vater Well Contractor's Lice		and this record is true to the best of my knowledge and belief. Kansas This Water Well Record was completed on (mo/day/yr) 10/15/13