## KOLAR Document ID: 1373476

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$		Section Number Township Num T				ge Number			
county						$T S R \square E \square W$ rral Address where well is located (if unknown, distance and						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						,,,					
Address:			<b>G</b>	700								
City: 3 LOCAT			State:	ZIP:								
	<b>4 DEPTH OF COMPLETED WELL:</b> SECTION BOX.											
	ON BOX:		Longitude:(decimal degrees)									
1	Ν	☐ Dry Well ft.			WGS 84 INAI		IAD 27					
	X below land surface, measured on (mo-day-							Latitude/Longitude unit make/model:		)		
			and surface,	, measured on (mo-day-	yr)			WAAS enabled?				
				ater was f		Land Survey Topographic Map						
W E afte			after hours pumping gp Well water was ft.				Online	e Mapper:				
SW SE after				. hours pumping gpm								
			nated Yield:gpm				6 Elevation:ft.  Ground Level  TOC					
			lole Diameter: in. to			Source	Source: Land Survey GPS Topographic Maj					
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease												
	☐ Household 6. ☐ Dewatering: how many wells?											
	Lawn & Garden 7. Aquifer Recharge: well ID						Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
2. ☐ Irrigati 3. ☐ Feedlo				al Remediation: well II				Loop  Horizont				
	3. Example Feedlot     Air Sparge     Soil Vapor Ex       4. Industrial     Recovery     Injection						b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?       Yes       No       If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel       Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From												
Nearest source of possible contamination:												
□ Septic			Lateral Line			Livestock P			cide Storage			
Sewer	Lines ight Sewer Lin		Cess Pool	☐ Sewage La ☐ Feedyard		Fuel Storage Fertilizer St			oned Water ` ll/Gas Well	Well		
			Seepage Pit			rennizer St	lorage		n/Gas wen			
Other (Specify) Direction from well? ft.												
10 FROM	ТО	Ι	ITHOLOG	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
							1					
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged												
under my in	KACTOR'S	d was compl	JWNER'S	S CERTIFICATION	N: This wate	this record	is tru	Instructed, $\square$ reconcisions to the best of m	nstructed,	or $\square$ plugged		
Kansas Wa	ter Well Con	tractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ve	ear)	<sub>2</sub> , and benef.		
	usiness name	of										
KS Departr				ELL OWNER and retain						785-296-3565		
-	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											