## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	County	Fraction	······································		Section	number	Township number	Range number		
1. Location of well:	Marion	5W 1/4	341/4 SW	1/4	1	2	т /7 s	R 4	<u>E</u> )v	
2. Distance and direction from nearest town or city / / / / / / / / / / / / / / / / / / /										
Street address of well location if in city:  R.R. or street: RR  City, state, zip cade: Hillsboro, Kan										
4. Locate with "X" in section below: Sketch map:							6. Bore hole dia. 10 in. Completion date 7-576			
N						Well depth 93 ft.				
	!						7. X Cable tool Rotory			
						B. Use: Domestic Public supply Industry				
						X Irrigation Air conditioning Stock				
							LawnOil field waterOther  9. Casing: Material			
<u> </u>     <del>_   </del>						Threaded Welded Alw Surface				
S							RMPPVCWeightlbs./ft. Dia. & in. to 65 ft. depth Wall Thickness: inches or			
5. Type and color of					From	То	Diain. toft. dep		<u> </u>	
		<u> </u>					10. Screen: Manufacturer's n	ome Centain to	red	
Topsoil					0	4	Type PYC	Dig. 8"		
Shala d	Broken LIME -	v. /			4	10	Slot gauze B	_ Length		
State &	Droken LIME -	<u>/e                                    </u>		•			Set betweenft. a		ft.	
Shale - Yel				10	25	Gravel pack? 200 Size range of material				
Lime - Yel				25	32	11. Static water level:  65 ft. below land surface Date 7-5-76				
Shale - Gray				32	47	12. Pumping level below land				
Line - Wht				47	50	65 ft. after 2 hrs. pumping 55 g.p.m.  80 ft. after hrs. pumping 80 g.p.m.  65 ft. after 5 g.p.m.  Estimated maximum yield 55 g.p.m.				
Red Rock - Red				50	56	13. Water sample submitted: mo./day/yr.				
Lime- Wht				56	59	Yes X No Date  14. Well head completion:				
Shale- Life Gray Water				58		Pitless adapter				
O Drilling Lost waster						22	15. Well grouted? Yes With: Neat cement BentoniteX Concrete			
Crevice with Broken Lime Hit Water				62	12	Depth: From ft. to ft.				
Shale Lite Gray					72	74	16. Nearest source of possible contamination: Road ft. 150 Direction South type Ditch			
LimE -	Gray				74	27	Well disinfected upon comple	tion?X_Yes	N₀	
Shale -	lite Blu				22	86	17. Pump:  Manufacturer's name	Not installed	\*\*\	
lims = -	6004				86	93	Madel number	HP Volts ft. capacityg		
- Chuy				00	1	Туре:				
		<u> </u>					Submersible Jet	Turbine Reciproco	otina	
	(Use a second sh	eet if needed)			<u> </u>		Centrifugal	Other		
18. Elevation:	19. Remarks:						20. Water well contractor's o This well was drilled under m		eport	
_							is true to the best of my know	•	N N	
Topography:						Z	Business name	Il Drilling 2	2/8 = E	
Slope						Address ast Springs Kan 5/8				
Upland Valley							Signed Apple	resemptive Date	5-24   V	

MI-1023

Form WWC-5