		WA	ALER WELL REC	ORD	Form WWC-8	5 KSA	\ 82a-121 <i>i</i>	2 ID No	D			
	TONOFWA		Fraction 5 W 1/4	SW	14 NE	14		Number	Township Num	ber S	Range Number	
Distance and direction from pearest town or city street address of well if located within gity? South Edge City Limits of Burdick HS												
2 WATER WELL OWNER: Richard Basore												
	ddress, Box		265 3	50th	, 40				Doord of Agric		ivision of Water Becourses	
City, State,	ZIP Code	: Los	& Sprin	95,	is, Ks 66859				Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL												
WELL'S STATIC WATER LEVEL												
Pump test data: Well water was												
- -	NW NE Est. Yield gpm: Well water was											
	Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)										ther (Specify below)	
w	W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
	- SW SE Was a chemical/hacteriological sample submitted to Department? Ves No Kill was molday/was sample was s											
	Was a chemical/bacteriological sample submitted to Department? Yes No											
S												
5 TYPE	OF BLANK C	ASING USED:		5 Wro	ught iron	8 0	Concrete t	ile	CASING JOINT	S: Gluec	i Clamped	
1 Stee		3 RMP (S	R)		estos-Cement			cify below)		Welde	ed	
	ng diameter	4 ABS	in to	7 Fibe					ft Dia		idedft.	
Casing hei	ght above la	nd surface	18	in.,	weight				lbs./ft. Wall thickness	or quage	No. S.D.R. 26	
		PERFORATIO					7 PVC	•	10 Asbestos-Cement			
1 Steel 3 Stainless Steel 2 Brass 4 Galvanized Steel				3			8 RMP (9 9 ABS	SR)	11 Other (Specify)			
				0 0011							ŕ	
SCREEN OR PERFORATION OPENINGS ARE: 5 Guazed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes												
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)ft.												
SCREEN-PERFORATED INTERVALS: From												
From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From NONE ft. to ft., From ft. to ft.												
·	S. D. V LL 1710	on mer Envaco									ft.	
6 GROU	T MATERIA	· 1 Noo	t cement	200	ement grout		Bentonit		Other			
Grout Inter				5	t. From						ft. toft.	
What is the			contamination:	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,			10 Livesto			bandoned water well	
1 Septic tank 4 Lateral li			ral lines	I lines 7 Pit privy				11 Fuel st	torage	age 15 Oil well/Gas well		
2 Sewer lines 5 Cess			-						er storage		ther (specify below)	
3 Wat Direction from	•	r lines 6 Seep	page pit	9 Feedyard				13 Insecticide storage A.g.oov				
FROM	TO	Cast	LITHOLOGIC	CLOG		FRO	DM -	How many	700	CINC IN	TERVALS	
0	4	700	Soil	LOG		FRC	JIVI		FLOG	JING IN	ENVALS	
4	12	Line	Whit	e Cr	umbh							
12	14	Shale	ye!		7					-		
14	21	LIME	Ye!									
15	32	Shale	Ye l									
<u>32</u> 35	35 50	CLA	Hol	. / / :	J. 30	,						
50	51	LIME		ed LI	legray 38	'						
51	25	Shale	Red		-			-				
25	83	LimE	Frac									
83	85	LIME	Sold									
						-					3 3 3	
7 CONTR	ACTOR'S O	B I ANDOWNE	D'S CEDTIFICA	TION: T	io water	WOO(41)	onot	1 (0) ====	notrusted as (0) =1		or muriculadada a and acco	
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)												
Water Well Contractor's Licence No 218 This Water Well Record was completed on (mo/day/yr) Dec 30.05												
under the bu	usiness nam	e of ZIN	v Water	~ W	21/ D	/		·	signature)	\mathcal{O}	a. Zinn	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top titree copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your												
records. Fe	e of \$5.00 for ea	ch <u>constructed</u> well.	odon, 1000 SYV Jackso	on on, Suite	- +20, Topeka, Kans	as 00012-10	307. Telephor	ie / 65-296-55	ZZ. Seria one to WATER W	ELL OWNE	a and retain one for your	