WATER WELL REC	CORD	Form V	VWC-5	Division of Water	r Resources App. No).
1 LOCATION OF WA	TER WELL:	Fraction		Section Number	Township No.	Range Number
County: Marri	S	Se4/VW 1/4 1	Y × 1/4			$R \le \angle M = \square W$
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:						
from nearest town or intersection: If at owner's address, check here Latitude:						
Elevation:						
A WATER WELL OWNER, DA. 1: 12 1 00 100				<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: BUrdick Legion RR#, Street Address, Box #: 315 Reed 35				Collection Method: GPS unit (Make/Model:)		
City, State, ZIP Code : D 176Ed 32						
Durdic K, Kc 66 #3 # Est. Accuracy: □ <3 m, □ 3-5 m, □ 5-15 m, □ >15 m						
3 LOCATE WELL						
WITH AN "X" IN SECTION BOX:	Denth(s) Ground	water Encountered		ft (2)	ft C	3) ft
WITH AN "X" IN SECTION BOX: N WELL'S STATIC WATER LEVEL						
	Pump	test data: Well wa	ter was	ft. after	hours pump	oing gpm
	EST. YIELD.	Sgpm. Well wa	ter was	ft. after	hours pump	oing gpm
W E	WELL WATER	TO BE USED AS:	Dublic wat	t., andin.	to	
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well Domestic Feedlot Oil field water supply Dewatering Other (Specify below)						
SWSE Domestic Feediot On field water supply Dewatering Other (specify below)						
Was a chemical/bacteriological sample submitted to Department? Yes No						
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No						
5 TYPE OF CASING I	JSED: Steel	PVC PVC	Other		••••	
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight SDR 22. lbs./ft., Wall thickness or gauge No. 2. 4.						
Casing height above land surface 14 in Weight SDR 26 lbs /ft Wall thickness or gauge No. 2/4						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
Steel Stainless Steel DVC Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)						
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft.						
SCREEN-PERFORATED INTERVALS: From						
From						
From						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
What is the nearest source of possible contamination: ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)						
Sewer lines						
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well						
Direction from well				from well /.5		CODIC DIMPRIALS
FROM TO	LITHOLOGI	C LOG	FROM	TO LITHO. LO	OG (cont.) or PLUC	GGING INTERVALS
8 31 Lim 31 50 yell 50 75 Be	Y		- 		77.00	
31 50 yel	low Shar	بها				
50 75 Be	d 11					
75 80 Gra	4 11					
So SP Lin	e					
32 89 Wa	ter				- PROCES	
89 94 Gra	ry "					
	-	***			-	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ★ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)						
under the business name of						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5522 Ser	nd one conv to WATI	ER WELL OWNER and	t retain one for v	our records. Include fee	of \$5.00 for each or	instructed well. Visit us at