KOLAR Document ID: 1380276

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
1 LOCATION OF WATER WELL: Fraction					ction Numb	1 0						
County: 1/4 1/4 1/4												
						treet or Rural Address where well is located (if unknown, distance and irection from nearest town or intersection): If at owner's address, check here:						
Address:	u.						needon non nearest town of intersection). If at owner's address, check here.					
Address:												
City:		1	State:	ZIP:								
3 LOCAT		4 DEPTH	OF CON	IPLETED WELL: .	f	t. 5 Latif	tude [.]			(decimal degrees)		
	WITH "X" IN SECTION BOX:											
	SECTION BOX: 2) ft. 3) ft., or 4) \Box					Well Datum: WGS 84 NAD 83 NAD 27						
	WELL'S STATIC WATER LEVEL:							Latitude/Longitude				
			-yr) -yr)			unit make/model:						
NW	NE	Pump test d					WAAS enabled?		0)			
w	E		hours				Survey 🔲 Topogra e Mapper:					
	I I VI		Well v	ît.								
SW	SE		hours	gpm								
		Estimated Y			6 Elevation:ft. □ Ground Level □ TOC Source: □ Land Survey □ GPS □ Topographic Map							
	S nile	Bore Hole I			<u>50010</u>		-					
Image:												
1. Domestic: 5. Dublic Water Supply: well ID 10. Oil Field Water Supply: lease												
	□ Household											
Lawn d	Lawn & Garden 7. 🗌 Aquifer Recharge: well ID											
	Livestock 8. Monitoring: well ID							al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID .						a) Closed Loop Horizontal Vertical					
	3. 🗌 Feedlot 🔅 🗌 Air Sparge 🔅 Soil Vapor E					b) Open Loop \Box Surface Discharge \Box Inj. of Water						
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter												
Casing diameter in. to it., Diameter in. to it., Diameter in. to it. Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ Fiberglass □ PVC □ Other (Specify)												
Brass Galvanized Steel Concrete tile None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft., From ft. to ft. o ft. o ft. o ft. o ft. to ft. ft. to ft. to ft. to ft. to ft. ft. ft. ft. ft. ft. ft. ft. ft												
Grout Intervals: From												
		e contaminati		,		,						
□ Septic			Lateral Line			Livestock P			cide Storage			
Sewer]			Cess Pool	Sewage La		Fuel Storage			oned Water			
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
		1										
							1					
							L					
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
				o-day-year)								
Kansas Wa	ter Well Cor	tractor's Lice	ense No		ater Well Re	cord was co	mple	ted on (mo-dav-ve	ear)			
	usiness name	e of										
KC D				ELL OWNER and retain						785 206 2565		
	KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											