

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Morris</u>	<u>SE 1/4 SW 1/4 SW 1/4</u>	<u>9</u>	T <u>17</u> S	R <u>7</u> <u>EW</u>

Distance and direction from nearest town or city street address of well if located within city?

4 mile South of Wilsey & 1/4 mile East

2 WATER WELL OWNER:	RR#, St. Address, Box # :	Board of Agriculture, Division of Water Resources
<u>Kevin GANT</u>	<u>406 S 1st St</u>	
City, State, ZIP Code :	<u>Wilsey KS 66873</u>	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: <u>70</u> ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. <u>6</u> ft. 2. <u>6</u> ft. 3. <u>6</u> ft. WELL'S STATIC WATER LEVEL <u>4</u> ft. below land surface measured on mo/day/yr <u>Nov 14 03</u> Pump test data: Well water was <u>7</u> gpm. Well water was <u>70</u> ft. after <u>7</u> hours pumping <u>7</u> gpm. Est. Yield <u>7</u> gpm. Well water was <u>70</u> ft. after <u>7</u> hours pumping <u>7</u> gpm. Bore Hole Diameter <u>8</u> in. to <u>70</u> ft., and <u>70</u> in. to <u>70</u> ft. WELL WATER TO BE USED AS: 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes <u>X</u> No <u>X</u> ; If yes, mo/day/yr sample was submitted <u>Nov 14 03</u> Water Well Disinfected? Yes <u>X</u> No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>X</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABC	7 Fiberglass	10 Asbestos-cement
Blank casing diameter <u>5</u> in. to <u>6</u> ft., Dia			11 Other (specify)
Casing height above land surface <u>18</u> in., weight			12 None used (open hole)
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 Saw cut
2 Louvered shutter	4 Key punched	6 Wire wrapped	11 None (open hole)
SCREEN-PERFORATED INTERVALS:			
From <u>6</u> ft. to <u>70</u> ft.			
GRAVEL PACK INTERVALS:			
From <u>5 1/2</u> ft. to <u>70</u> ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From <u>0</u> ft. to <u>5 1/2</u> ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well? <u>West</u>			13 Insecticide storage	<u>Spring Pond</u>
			How many feet? <u>100</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Top Soil BIK			
4	6	Clay Brn			
6	8	Gravel Alluvium			
8	25	LIME TAN			
25	35	Shale RED			
35	38	LIME Gray			
38	39	Shale Gray			
39	48	Lime like with Flint			
48	50	Shale Gray			
50	70	LIME Chalk White soft			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>Nov 14 03</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>218</u> This Water Well Record was completed on (mo/day/yr) <u>Nov 17 03</u> under the business name of <u>Linn Water Well Dnlg</u> by (signature) <u>Joseph A. Zinn</u>
--