Corrected

| WATER W | | | WWC-5 | | ivision of Wate | | N/ 11 TO | | |
|---|---|---------------------------------|---|--|---|----------------------------------|---|--|--|
| ✓ Original Re | | | e in well Use | / K6 | esources App. N | | Well ID | | |
| | | ATER WELL: | Fraction SE ¹ / ₄ NE ¹ / ₄ NE ¹ / ₄ | | ection Number 12 | er Township Numb | ber Range Number R 7 ☑ E □ W | | |
| County: Morris SE ¹ / ₄ NE ¹ / ₄ NE ¹ / ₄ NE ¹ / ₄ 12 T 17 S R 7 Z E D W WELL OWNER: Last Name: MULLER First; KENNITH Street or Rural Address where well is located (if unknown, distance and | | | | | | | | | |
| Business: | | | | | rom nearest town or intersection): If at owner's address, check here: | | | | |
| | Address: 528 WEST MAIN Address: 20 | | | | | 010 S 1400 RD COUNCIL GROVE, KSA | | | |
| | OUNCII | GROVE State: KS | ZIP: 66846 | | | and a second | | | |
| 3 LOCATE V | VELL | | 1PLETED WELL: | 105 | ft # 1 -4:4 | do. 38 5932 | 283 | | |
| WITH "X" | | | Encountered: 1)9. | | | | | | |
| | 2) | | | Dry Well Datum: TWGS 84 7 NAD 83 T NAD 27 | | | | | |
| WELL'S STATIC WATER | | | TER LEVEL:40 | ER LEVEL:40 ft. Source for Latitude/Longitude: | | | | | |
| | | | TER LEVEL: | | | | | | |
| NWNE Labove land s | | | e, measured on (mo-day-yr) | | | | | | |
| w | + $+$ $+$ $=$ | atter nours pumping gpm | | | | | | | |
| SW | SE | Well water was ft. | | | | | | | |
| | ï | after hours pumping | | | | | t. 🛮 Ground Level 🗌 TOC | | |
| | | Bore Hole Diameter: | . ft. and | t. and Source: Land Survey GPS Topographic Map | | | | | |
| 1 mile- | | | | | | | | | |
| 7 WELL WATER TO BE USED AS: | | | | | | | | | |
| 1. Domestic: 5. ☐ Public Water Supply: v ☐ Household 6. ☐ Dewatering: how many | | | | | | | | | |
| , — | ☐ Household 6. ☐ Dewatering: how m ☐ Lawn & Garden 7. ☐ Aquifer Recharge: | | | | | | | | |
| | ✓ Livestock Z Livestock Z Livestock Z Livestock Z Livestock Z Livestock Z Livestock | | | | | | | | |
| 2. Irrigation | | | | | a) Closed Loop Horizontal Vertical | | | | |
| 3. ☐ Feedlot ☐ Air Sparge | | | | | | | Discharge Inj. of Water | | |
| 4. Industrial Recovery Injection 13. Other (specify): | | | | | | | | | |
| Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted: | | | | | | | | | |
| Water well disinfected? ☑ Yes ☐ No 8 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other | | | | | | | | | |
| Casing diameter 5 in. to 105 ft. Diameter in. to ft. Diameter in. to ft. | | | | | | | | | |
| Casing diameter 5 in. to 105 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 16 in. Weight lbs./ft. Wall thickness or gauge No214 | | | | | | | | | |
| TYPE OF SCREEN OR PERFORATION MATERIAL: | | | | | | | | | |
| ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify) | | | | | | | | | |
| ☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: | | | | | | | | | |
| ☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify) | | | | | | | | | |
| ☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped | | | | | | | | | |
| SCREEN-PERFORATED INTERVALS: From .65 ft. to .105 ft., From ft. to ft., From ft. to ft. | | | | | | | | | |
| GRAVEL PACK INTERVALS: From | | | | | | | | | |
| 9 GROUT MATERIAL: ☑ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other | | | | | | | | | |
| Nearest source of possible contamination: | | | | | | | | | |
| ☐ Septic Tar | nk | ☐ Lateral Line | | | Livestock P | | ticide Storage | | |
| 1 | ☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lago | | | | | | | | |
| ☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well ☐ Other (Specify) | | | | | | | | | |
| Direction from well? W. Distance from well? .25. ft. | | | | | | | | | |
| 10 FROM | ТО | LITHOLO | | FROM | | LITHO. LOG (cont.) | or PLUGGING INTERVALS | | |
| 0 4 | | TOP SOIL | | 97 | 100 | FRAC LIME | | | |
| 4 18 | | IME YEL | | 100 | 103 | LIME TAN | was a suppose a | | |
| 18 20 | | SHALE YEL | | 103 | 105 | SHALE DK GRAY | | | |
| 20 32 32 43 | | IME YEL | | | | | | | |
| 32 43 43 77 | | SHALE GRAY LIME & BLUE FLINT | | | | | | | |
| 77 83 | | SHALE GREEN | | | Notes: | | | | |
| | 89 SHALE RED | | | 4th Month | | | | | |
| | | | | | | | | | |
| 11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 7 constructed. Treconstructed or 1 plugged | | | | | | | | | |
| under my jurisdiction and was completed on (mo-day-year) (93/25/2014 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 218 This Water Well Record was completed on (mo-day-year) (93/25/2014 | | | | | | | | | |
| under the business name of Zinn Water Well Drig. | | | | | | | | | |
| Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. | | | | | | | | | |
| KS Department of Health and Environment. Rureau of Water Geology Section, 1000 SW Jackson St. Suite 420, Toneka Kansas 66612-1367. Telephone 785-296-3565. | | | | | | | | | |

Visit us at http://www.kdheks.gov/waterwell/index.html

KSA 82a-1212