WATE	R WELL	REC	ORD	Form WWC-	.5	Division of	f Water	·Resources; App. No.		
			TER WELL:	Fraction	g _e zag	Section Num	ber	Township Number	Range Number	
Cour	ity: MOR	KIS		SR 1/4 SR 1/4 5	12 1/4	32		T /7 S	R SEW	
	ince and dir ed within ci		from nearest town or cit	y street address of wo	211 11			S ystems (decimal deg <i>8,5234</i> ユ	rees, min. of 4 digits)	
10040	va wimini o	. cy .								
2 WA							Longitude: 96. 42952 Elevation: 1271			
	, St. Addres					Datum:				
City	, State, ZIP		Emporia K	<5 668DI		Data Collection Method: W65 84				
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL										
	WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1)									
SEC	N Pump test data: Well water wasft. after hours pumping									
Est. Yield Well water was ft. after hours pumping.									gpm	
N	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
w	W E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)									
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well										
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs										
Sample was submitted										
S S										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
-00		3 RMP	(SR) 6 Asbestos-	Cement 9 Other		below)		Welded		
PVC 4 ABS 7 Fiberglass Threaded.										
Blank casing diameter in. to 100 ft., Diameter in. to ft., Diameter in. to ft.										
Casing height above land surface										
1 Steel 3 Stainless Steel 5 Fiberglass OPVC 9 ABS 11 Other (Specify)										
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)										
SCREEN-PERFORATED INTERVALS: From										
From ft. to ft., From ft. to ft.										
GRAVEL PACK INTERVALS: From 1.2 ft. to 1.50 ft., From ft. to ft.										
Fromft. to										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Rentonite 4 Other										
Grout Intervals: From										
What is	the nearest		of possible contaminati					,	· · · · · · · · · · · · · · · · · · ·	
	Septic tank		4 Lateral lines					ecticide storage	16 Other (specify	
	Sewer lines				1 Fuel s			andoned water well	below) Forsting Well	
	n from well							well/gas well	/	
FROM	TO		LITHOLOGIC	*45.4 company of the NATA to Anti-Anti-Anti-Anti-Anti-Anti-Anti-Anti-	FROM			PLUGGING INT		
0	-	CLA						2		
13	19		epstonk						4	
18	33	SHAL	E, DARK GRAY							
33	37	LIM	ESTOWE				·		MANUAL TO THE PARTY OF THE PART	
3	47 .	3411.	R GRAY							
4	5/	CIN	UN STONY							
5/ 76	76	SMI TA	LR, EKIN					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	44	
78	106	SHK	LA CRAY						WARRING CONTROL OF THE PROPERTY OF THE PROPERT	
	/ / /	CARREL	7 7 7 7							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under m	y jurisdictio	on and	was completed on (mo/o	day/year)	Zo/o and	d this record is	true t	o the best of my kno	wledge and belief.	
			ctor's License No7.4					op (mo/day/year). T.	- 2- 6010	
	e business i		f ASSOCATES () iter or ball point pen. PLEA.	SE DDESTELDMIN and I		y (signature)		le jet	amout and and	
			nt of Health and Environmen							
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at										
http://www.kdheks.gov/waterwell/index.html.										