KOLAR Document ID: 1510663

	WELL R			WWC-5		vision of Wat						
U		Correction		ge in Well Use		ources App. I			Well ID			
1 LOCATION OF WATER WELL: Fraction						1 0			ige Number			
County: 1/4 1/4 1/4 2 WELL OWNER: Last Name: First: S						1 4 1 1						
2 WELL Business:		ast Name:		First:		treet or Rural Address where well is located (if unknown, distance and rection from nearest town or intersection): If at owner's address, check here:						
Address:					direction from	rection from hearest town of intersection). If at owner's address, check here.						
Address:												
City:		1	State:	ZIP:		1						
3 LOCATE WELL WITH WY N 4 DEPTH OF COMPLETED WELL:						t. 5 Latit	nqe.			(decimal degrees)		
			oth(s) Groundwater Encountered: 1)				Longitude:					
	N BOA:	2)	ft	Dry Well			WGS 84 🗌 NAI		NAD 27			
		WELL'S ST				Source for Latitude/Longitude:						
				·yr)								
NW	NE	Pump test d		yr) t		(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
w	Е	~	hours									
	v '		Well water was ft.				Online Mapper:					
SW	SE		after hours pumping gpm									
		Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC						
	S milo	Bore Hole I	Bore Hole Diameter: in. to			Source: Land Survey GPS Topographic Map						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. Public Water Supply: well ID 10. Oil Field Water Supply: lease 												
		6. Dewatering: how many wells?					11. Test Hole: well ID					
Lawn	& Garden		7. 🗌 Aquifer Recharge: well ID									
				g: well ID			12. Geothermal: how many bores?					
	. Irrigation 9. Environmental Remediation: well ID						a) Closed Loop Horizontal Vertical					
3.							Dpen Loop Surface Discharge Inj. of Water					
4. Industrial Recovery Injection 13. Other (specify):												
Was a chemical/bacteriological sample submitted to KDHE? \Box Yes \Box No If yes, date sample was submitted:												
Water well disinfected? Yes No 8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
□ Brass □ Galvanized Steel □ None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
Continuous Slot I Mill Slot Gauze Wrapped Torch Cut I Drilled Holes Other (Specify)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		e contaminati	on: No	potential source of con	tamination wi	ithin 200 ft.						
□ Septic			Lateral Line			Livestock Pe	ens		ide Storage			
Sewer			Cess Pool	Sewage La		Fuel Storage			oned Water	Well		
	ight Sewer Li			☐ Feedyard		Fertilizer Sto	orage	Oil We	ll/Gas Well			
Direction from well? ft.												
10 FROM	TO		ITHOLO		FROM	ТО		HO. LOG (cont.) or		GINTERVALS		
					NT /							
	Notes:											
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
under my i	urisdiction a	nd was compl	leted on (n	no-day-year)	and	this record	is tru	e to the best of m	y knowled	ge and belief.		
Kansas Wa	ter Well Cor	ntractor's Lice	ense No	This Wa	ater Well Re	cord was co	mple	ted on (mo-day-ye	ear)			
under the b	ousiness name	<u>e of</u>	***		·····							
KS Departs				ELL OWNER and retain of Vater Geology Section 10						785-296-3565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												