WATER WELL REC	CORD	Form W	WC-5	Division of Water	er Resources App. N	о.	
1 LOCATION OF WA		Fraction A/2 at C	 1/ 1/	Section Number	Township No.	Range Number R / DE DW	
County: Mari	CW-III	NW4NW4 S	0 ½ ½ 2 1:		T / S		
Street/Rural Address of from nearest town or in				Global Positionin			
			k nere			(in decimal degrees)	
12WIN Durham					(in decimal degrees)		
	Detum: WGS S		 1 NAD 27				
2 WATER WELL OW	NER: Don	nic Conl	240	Collection Method:	54, □ NAD 65, □	J NAD 27	
2 WATER WELL OWNER: Dennis Convers RR#, Street Address, Box #: 709 Pennst				GPS unit (Make/Model:)			
City, State, ZIP Code							
City, State, ZIP Code Digital Map/Photo, Topographic Map, Land Survey Est. Accuracy: <3 m, 3-5 m, 5-15 m, >15 m							
3 LOCATE WELL / / / /							
WITH AN "X" IN		COMPLETED WEI		ft ft			
SECTION BOX:	Depth(s) Ground	dwater Encountered	(1) 4 .&	• ft. (2)	ft. ((3)ft.	
N	N WELL'S STATIC WATER LEVEL 30ft. below land surface measured on mo/day/yr						
	Pump test data: Well water wasft. after hours pumping gpm						
W Bore Hole Diameter							
W E Bore Hole Diameter D. 2 in. to 2. in. to 2 ft., and 2 in. to 65 ft.							
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)							
The first of the f							
Was a chemical/bacteriological sample submitted to Department? Yes Pro Fr Pasture							
S If yes, mo/day/yr sample was submitted							
Water well disinfected? Yes No							
5 TYPE OF CASING USED Steel PVC Other							
CASING JOINTS: Glued Clamped Welded Threaded							
Casing diameter 5 in to 03 ft Diameter in to ft Diameter in to ft							
Casing diameter 5 in. to 6.3 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface in., Weight SDR26lbs./ft., Wall thickness or gauge No. 2.1.4							
TYPE OF SCREEN OR PERFORATION MATERIAL.							
Steel Stainless Steel PVC Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)							
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)							
SCREEN-PERFORATED INTERVALS: From							
	From						
GRAVEL PACK INTERVALS: From							
From							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank		nes Pit privy	Livestock p			ner (specify below)	
Sewer lines Watertight sewer li	Cesspool	Sewage lagoon	☐ Fuel storag ☐ Fertilizer st				
Direction from well	Nana 111	Treedyard	Distance			•••••	
Direction from well	LITHOLOG		FROM	from well TO LITHO. L		JGGING INTERVALS	
M 14 01	,	ile Lou	TROM	10 LITHO. D	OG (cont.) of FLC	OGGING INTERVALS	
15 42 Blue	24	3					
	of Shale	<u></u>					
42 43 War							
43 65 G-ra	y Shade						
			-				
			-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/dan/year)							
Kansas Water Well Contractors License No This Water Well Record was completed on (mo/day/year)							
under the business name of Backhu.Q. Dilling. by (signature) Soully. Bayhu.							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>RINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Sen	d one copy to WAT	ER WELL OWNER and	retain one for v	our records. Include fe	e of \$5.00 for each c	onstructed well. Visit us at	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212	-						