WATER WELL RECORD	Form WW	C -5	Division of Wate	er Resources App. N	o.	
1 LOCATION OF WATER WELL:	Fraction		Section Number		Range Number	
County: Marion	SW1/4 Se1/4 Ne1/4	1/4	#30	T / S	R / GE W	
Street/Rural Address of Well Location			Global Positioning			
from nearest town or intersection: If at owner's address, check here .		Latitude:				
16000		Elevation: (in decimal degrees)				
1252W Durham		<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27				
2 WATER WELL OWNER: Kevin Mein RR#, Street Address, Box #: 110 P			Collection Method:			
City, State, ZIP Code : 1110 Parkway CT Hill Sbore, Kob 1063		☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey				
Hill	Sporakobi	1063	Est. Accuracy:	3 m, ☐ 3-5 m, ☐	5-15 m, \square >15 m	
1 3 LOCATE WELL	•					
	COMPLETED WELL				2) 6	
	Depth(s) Groundwater Encountered (1)					
	Pump test data: Well water wasft. after					
	FOT VIELD 10 W-11					
W E Bore Hole Diametertt., andtt.						
WELL WATER TO BE USED AS. I I done water supply Geometrial Injection wen						
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) SWSE Irrigation Industrial Domestic-lawn & garden Monitoring well Double Domestic Carte						
Irrigation Industrial Domestic-lawn & garden Monitoring well Mosture. Cate						
S If yes, mo/day/yr sample was submitted						
1 mile Water well disinfected?						
5 TYPE OF CASING USED: Steel PVC Other						
CASING JOINTS: Clamped Welded Threaded						
Casing diameter						
Casing height above land surface						
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Other (Specify)						
Brass Galvanized Steel None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE:						
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☐ Saw cut ☐ Other (specify)						
Louvered shutter Key punched Wire wrapped Screen-Perforated in Tervals: From ft. to ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From 20 ft. to 50 ft., From ft. to ft.						
From ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other						
Grout Intervals: From						
		Livestock p	ens 🔲 Insecticide	e storage	ner (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well						
Watertight sewer lines Seepage		Fertilizer sto				
FROM TO LITHOLO		FROM			JGGING INTERVALS	
0 3 Top Soil	die Lod	ROM	TO EITHOLE	oo (cont.) or 1 Le	OGING HATERATIES	
o op son						
3 10 Sandy Cla	¥ .					
10 35 Blue Sha	1e					
2 = 31 /1/2/5 22	2.44 () 0 (0/-/				
35 36 Water 10	erumbled.	Shak	2			
36 50 Blue Sha	. 10					
50 50 1100 3170						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged						
under my jurisdiction and was completed on (mo/day/year)						
under the business name of						
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies						
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.						
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.						
KSA 82a-1212						