TA TOO ATTON OF WATER MELL		ECORD Form WWC-5	KSA 82a-1212	ankin Niverbar	DN
1 LOCATION OF WATER WELL:	Fraction NE 1/4 NW	•	i	nship Number	Range Number
County: Lyon Distance and direction from nearest			13	<b>18</b> s	R 11 E
Distance and director from fiedress		State St., Emporia,	KS		
2 WATER WELLOWNER: Wei					
RR#, St. Address, 3ox # : PO			Board	of Agriculture Divis	ion of Water Resources
City, State, ZIP Code : Nev	vton. KS 67114			ation Number:	ion of water resources
LOCATE WELL'S LOCATON W	ITH   ,				
3 AN "X" IN SECTION BOX:	DEPTH OF COMPLETE	D WELL 45	ft. ELEVATION:	11	53.61
N	Depth(s) Groundwater Enco	ountered 1.5 35	ft. 2	ft. 3	Ft. 9
It Exili	WELL'S STATIC WATER LE	EVEL <b>35.72</b> ft.	below land surface me	asured on mo/day/y	r 06/05/13
NWNE		Well water was			mping Gpm C
	Est Yield Gnm:	Well water was	Et after	Hours or	umping Gnm   0
₩ W	E Bore Hole Diameter 6.2 WELL WATER TO BE USEI 1 Domestic 3 Feed	25 In. to 45	ft. and	in.	to Ft S
	WELL WATER TO BE USE	DAS: 5 Public water su	upply 8 Air	conditioning 11	Injection well
SW SE	1 Domestic 3 Feed	lot 6 Oil field water:	supply 9 Dev	vatering 12	Other (Specify below)
	2 Irrigation 4 Indus	trial 7 Lawn and gard	len (domestic) 10 Me	onitoring well	MW-9
<b>Y</b> L	Was a chemical/bacteriologi	ical sample submitted to [	Department? Yes	No X If yes, r	no/day/yr sample was
S	Submitted	•		sinfected? Yes	
5 TYPE OF BLANK CASING USE		ght Iron 8 Concre			Clamped
	· ·	stos-Cement 9 Other		Welde	1
2 PVC 4 AB	, ,				
	Et `				<del></del>
Blank casing diameter 2	in. to 30 Dia	In. to	o ft., Dia	i	n. to ft.
Casing height above land surface	FLUSH In., weight	SCH 40	Lbs./ft. Wall thick	ness or gauge No.	
TYPE OF SCREEN OR PERFORA		7	PVC 1	Asbestos-cement	
	ainless steel 5 Fiberg	alass 8	RMP (SR) 1	1 Other (specify)	
2 Brass 4 Ga	Ivanized steel 6 Concr	rete tile 9	ABS 1	2 None used (oper	hole)
SCREEN OR PERFORATION OPE	NINGS ARE:	5 Gauzed wrapped	ABS 1 8 Saw	cut 1	1 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drille		
2 Louvered shutter		7 Torch cut	10 Othe	r (specify)	
SCREEN-PERFORATED INTERVA	LS: From 30	ft. to 45	ft. From	ft. to	ft.
	From	ft. to	ft. From	ft. to	Ft. 7
SAND PACK INTERVALS:	From 28	ft. to 45	ft From	ft to	·····', "  ス
SAND I AGICIIVI ENVICES.		ft. to			Ft.
6 GROUT MATERIAL: 1 Ne	-1	10.10	ft. From	11. 10	
	□+	C+			1
Grout Intervals From2 0.5	ft. to 26 From3	<b>26</b> to	<b>28</b> ft. i	=rom	ft. to ft.
What is the nearest source of possib	le contamination:		10 Livestock pens	14 Aban	doned water well
1 Septic tank		7 Pit privy	11 Fuel storage	15 Oil w	ell/ Gas well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage		(specify below)
3 Watertight sewer lines		9 Feedvard	13 Insecticide stora		taminated Site
Direction from well?  How many feet?					
FROM TO CODE	LITHOLOGIC LOG	FROM	то	PLUGGING INT	FRVALS
	Fill	1110111	10	1 2000110 1111	
	Silty Clay			······································	, sec
	End of Borehole			· · · · · · · · · · · · · · · · · · ·	
					( )) [
				- Breek	1/shus
7 CONTRACTOR'S OR LANDOWN	IED'S CEDTIEICATIONS This	ater well was (v) construct	ted (2) reconstructed	or (3) plugged dead	my jurisdiction and
Completed on (mo/day/yr)	585	And this	s record is true to the b	est of my knowledge	and peller. Kansas
Water Well Contractor's License No.	***********		ater Well Record was c		
under the business name of	Associated Environments and circle the correct answers.			e) Bradley J. C	
	913-296-5545. Send one to WATER			na Entriorinent, bute	ac or react, topera,