WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Coffen	Fraction SE 45E 45W 4 NW4	Section Number   Township No.   Range Number   T   S   R   \( \sqrt{\overline{\text{ME}}} \sqrt{\overline{\text{W}}} \text{E} \sqrt{\overline{\text{W}}} \text{W} \text{E} \sqrt{\overline{\text{W}}} \text{E} \sqrt{\overline{\text{W}}} \text{W} \text{E} \sqrt{\overline{\text{W}}} \te
Street/Rural Address of Well Location		Global Positioning System (GPS) information:
from nearest town or intersection: If		Latitude: (in decimal degrees)
		Longitude: (in decimal degrees)
275 1) and of 1) ave	( العما / معاليا	Elevation:
ail Mest 21 Mares	17, 163 (231)	<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27
2.75 West of Ware- 2 WATER WELL OWNER: T	im lotty	Collection Method:
RR#, Street Address, Box #:	12015 5. WanakerRo	GPS unit (Make/Model:)
City State ZIP Code	Lebo KS 66851	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
	-600 V = 66821	Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH O	F COMPLETED WELL	/0D +
SECTION BOX: Depth(s) Grou	and control of (1) 5A - 7	
N WELL'S STA	ATIC WATER I EVEL 4/4 A	below land surface measured on mo/day/yr
WELL SSIA	mn test data: Well water was	ft. after hours pumping gpm
TOTAL TOTAL	D ann Well water was	ft. after hours pumping gpm
NWNE EST. YIELD.	ameter 83/4 in to 100 f	andin. toft.
E Bore Hole Di	ED TO BE USED AS: Dublic water	r supply
Domostic		
SWSE Domestic		n & garden  Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No  If yes, mo/day/yr sample was submitted		
water well disinfected?  Yes  No		
5 TYPE OF CASING USED: Steel PVC Other		
CASING JOINTS:   Glued  Clamped  Welded  Threaded		
Casing diameter		
Casing height above land surface	.I.A in., Weight S.D.Q.J.k	lbs./ft., Wall thickness or gauge No200.1.j
TYPE OF SCREEN OR PERFORATION MATERIAL:		
Steel Stainless Steel PVC Other (Specify)		
Brass Galvanized Steel None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)  SCREEN-PERFORATED INTERVALS: From ft. to		
From		
GRAVEL PACK INTERVALS: From		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From2.5 ft. to ft., From ft. to ft. from ft. to ft.		
What is the nearest source of possible co		
	lines Pit privy Livestock p	ens Insecticide storage Other (specify below)
Sewer lines Cesspo		☐ Abandoned water well
☐ Watertight sewer lines ☐ Seepag		
Direction from well		rom well
FROM TO LITHOLO	OGIC LOG FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 2 50:1+clay		
2 15 sandstone 15 16 shale		
16 20 Sandstone		
20 26 Shale		
26 40 Jandy Shalp		
26 40 Jandy Shalp 40 60 Shale		
60 74 Sandstone 74 100 lime		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) 13 12 13 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 56./ This Water Well Record was completed on (mo/day/year) 12.1.1.		
under the business name of Eurani Energy Dew Inc. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks and check the correct answers. Send three copies		
(white, blue, pink) to Kansas Depar tment of Health and E nvironment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at		
http://www.kdheks.gov/waterwell/index.html.  KSA 82a-1212  Check: White Copy, Blue Copy, Pink Copy		
12D/1 U4G-1414		Check. Zy white Copy, Z Diuc Copy, Z Pink Cop