## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of well:	County	Fraction NV 1/4 NV 1/4 NV	W. Se	ection n	umber	Township number Range number	
2 Distance and dire	ection from nearest town or city:	615	3. Owner o	of well	E	Bover S R S F T T T T T T T T T T T T T T T T T T	
P.D. or et					er of wel <b>L. E. Boyer</b>		
Street address of well location if in city: Melverv City, state,					∞ <b>4</b> Mel	vern, Kan. 66510	
4. Locate with "X" in section below:  Sketch map:  Sketch map:				•		6. Bore hole dia. 6. Completion date 7.7. Well depth 185 ft. Completion date 20	
I VIII					Ì	7.X Cable tool Rotary Driven Dug	
						Hollow rod Jetted Bored Reverse rotary	
						8. Use: X Domestic Public supply Industry	
E W LINE WENT						Irrigation Air conditioning Stock	
SW SE						Lawn Oil field water Other  9. Casing: Material Height: Above or below.	
।।।। (ध्राञ्चा						Threaded Welded Surface 18. in.	
1 3 puell						Threaded Welded Surface in.  RMP PVC Weight 40 bs./ft.	
1 Mile ──── 1					$\dashv$	Dio in. to 185 ft. depth Wall Thickness: inches or Dio in. to 185 ft. depth gage No sch LO	
5. Type and color of	f material		F	From	То	10. Screen: Manufacturer's name	
soil			0		),	Type Pve Dia. 5	
shelly	rock				4	Slot/gauze 328 Length 20	
0110113	10011				7	Set between 165 ft. and 185 ft.	
grey sl	hald		7		27	ft. andft.  Gravel pack? <b>no</b> Size range of material	
lime			2	7	37	11. Static water level:  120 ft. below land surface Date 1-72-78	
shald			3	7	64	12. Pumping level below land surfaces:	
District				. 1		ft. after hrs. pumping g.p.m.	
lime			6	4	86	ft. after hrs. pemping g.p.m. Estimated maximum yield g.p.m.	
Black shald			8	6	90	13. Water sample submitted: mo./day/yr. Yes No Date	
lime			9	0	91	14. Well head completion:	
-1-1			0	,	169	X Pitless adapter Inches above grade	
white shald			9	1	103	15. Well grouted?	
grey sand			1	.69	185	With: X Neat cement Bentonite Concrete Depth: From 3 ft. to \$20 ft.	
						16. Nearest source of possible contamination: ft. 110 Direction north Typseptic	
						Well disinfected upon completion? Yes No	
						17. Pump: X Not installed	
						Manufacturer's name	
						Length of drop pipe ft. capacityg.p.m.	
						Type:	
						Submersible Turbine Reciprocating	
	(Use a seco	nd sheet if needed)				Centrifugal Other	
18. Elevation: 19. Remarks:						20. Water well contractor's certification: This well was drilled under my jurisdiction and this report	
						is true to the best of my knowledge and belief.	
Topography:						Royce Swank Drilling 371	
Hill Slope						Business name Ottawa, Kan. License No.	
Upland						Signed NOVE Submode 11-7	
Valley						Ayth rized representative	