		WA	ATER WELL RE	CORD	Form WWC-5	KSA 82a	-1212 ID N	0				
	ON OF WA	TER WELL:	Fraction 5	SL			ction Number		Number S	Range Nur R	mber	
		from nearest to	wn or city street ところうろ	address	of well if located	d within city?	chus	Ks				
2 WATER	WELL OW		Dewa,			1114.0	71	17.	1 1 1 1 1 1 1			
RR#, St. Ad City, State,			5. AsH	•	66067				Agriculture, Don Number:	vivision of Water F	Resource	
		CATION WITH	· · · · · · · · · · · · · · ·			204	ft. ELEVA	TION:				
	SECTION		Depth(s) Grou	ındwate	r Encountered							
	N_	1	WELL'S STAT	IC WAT	ER LEVEL 	5 ft. be	low land surfac	e measured on	mo/day/yr			
	. 1	1								umping		
NW NE - Est. Yield gpm: Well water was ft. after hours pum WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injec									umping ijection well	gpr		
1 Domestic 3 Feedlot						6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
w <u> ~</u>	1	E	2 Irrigation	1 4	Industrial 7	Domestic (la	wn & garden)	10 Monitoring v	vell			
	1	1										
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sample was s												
mitted Water Well Disinfected? Yes No)		
L									/ (
5 TYPE O	F BLANK C	CASING USED:		5 Wr	ought iron	8 Conci	ete tile	CASING	JOINTS: Glue	d Clamped	d	
1 Steel		3 RMP (S			bestos-Cement		(specify below			ed		
2 PVC		4 ABS			erglass				Thre	aded		
Blank casin			in. to	<u> 19</u>	ftDia					in. to		
Casing heig	ht above la	nd surface	3 <i>6</i>	in	., weight S.D.K	مرا لک	20075	lbs./ft. Wall thick	kness or guag	e No		
TYPE OF SCREEN OR PERFORATION MATERIAL:						⊘ P\		10 A	10 Asbestos-Cement			
1 Steel 3 Stainless Steel					erglass		8 RMP (SR))	•••••	
2 Brass	8	4 Galvaniz	zed Steel	6 Co	ncrete tile	9 A	38	12 N	None used (op	en hole)		
SCREEN O	R PERFOR	RATION OPENI	NGS ARE:			zed wrapped		8 saw cut		11 None (open l	hole)	
	inuous slot		/lill slot			wrapped		9 Drilled hole	-			
2 Louve	ered shutte	r 4 K	(ey punched	04	7 Torc	$\gamma \wedge H$		10 Other (spe	сіту)		π	
SCREEN-P	ERFORATI	ED INTERVALS			ft. to C	20J						
	DAVEL DA	CK INTERVALS	From	Λ[]	ft. to	35	ft., From		ft. to		ft	
~		OK IIVI ENVALO										
							,					
6 GROUT	T MATERIA	L: 1_Nea	t cement		Cement grout	(3)Ber						
Grout Interv	als: Fron	nん	ft. to)	. ft., From	ft.	to	ft., From		ft. to	ft	
What is the	nearest so	urce of possible	contamination:				10 Livest	tock pens	14 A	bandoned water v	well	
1 Septic tank 4 Lateral lines				7 Pit privy		11 Fuel store		age 15 Oil				
2 Sewer lines 5 Cess pool				8 Sewage lag		goon 12 Fertilizer		16 C	ther (specify belo	w)		
3 Wate	ertight sewe	r lines 6 Seep	page pit		9 Feedyar	rd	13 Insect	ticide storage				
Direction fro	m well?						How man	y feet?				
FROM	ТО		LITHOLOGI	C LOG		FROM	то	P	LUGGING IN	TERVALS		
6	4	501	4 (194									
ŭ	12	Sh	le									
12	3/	(4:	ne.									
31	36	3	od.									
36	37	Li	xe.									
37	48	5/2	ale									
	82	10	estore									
87	106	Sho	V.									
104	166	SAN	n Stale									
	203	SA										
	204	3	hale									
		<u> </u>	700									
7 CONTRA	CTOR'S O	B I ANDOWNE	B'S CERTIFICA	TION:	This water well	(ac (1) banct	uotod (2) roca	netructed as (0)	\ plucacd	or my luriodistics	and	
completed or	n (mo/dav/v	LANDOVVINE	144 12		005 Well W	astruconstr	and this ro	cord is true to the	plugged und	er my jurisdiction ownsdge and belie	f Kanea	
Water Well C	Contractor's	Licence No	561	·····	This Water	Well Record	was completed	d on (mo/day/yr)		Days and belle	n. Nansas	
under the but					, This water	77011 1 18COIU		signature)		.2005		
		-7,VA	ns Egen	4 1	W. J.M.		~y (un la	1.007		

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.