

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Franklin</u>	<u>NW 1/4 NW 1/4 SE 1/4</u>	<u>1</u>	T <u>18</u> S	R <u>17</u> (EW)

Distance and direction from nearest town or city street address of well if located within city?

3 miles north 1 mile west of Williamsburg

2 WATER WELL OWNER:	RR#, St. Address, Box #	City, State, ZIP Code	Board of Agriculture, Division of Water Resources Application Number:
<u>James Rubick</u>	<u>4551 Hamilton</u>	<u>Palmira KS 66076</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
	<u>250</u> ft.	<u>1138</u> ft.
Depth(s) Groundwater Encountered	1	2
<u>230</u> ft.		
WELL'S STATIC WATER LEVEL	<u>100</u> ft. below land surface measured on mo/day/yr	
Pump test data: Well water was	ft. after	hours pumping
Est. Yield <u>± 10</u> gpm: Well water was	ft. after	hours pumping
WELL WATER TO BE USED AS:	5 Public water supply	8 Air conditioning
<u>1 Domestic</u>	3 Feedlot	6 Oil field water supply
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well
11 Injection well	12 Other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> / If yes, mo/day/yr sample was submitted		
Water Well Disinfected? <u>Yes</u> No		

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>✓</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
<u>2 PVC</u>	4 ABS	7 Fiberglass	Welded
Blank casing diameter <u>5</u> in. to <u>200</u> ft., Dia <u>5</u> in. to <u>250</u> ft., Dia			Threaded
Casing height above land surface <u>18</u> in., weight <u>SDR 21</u> lbs./ft. Wall thickness or gauge No. <u>220 PSI</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless Steel	5 Fiberglass
2 Brass	4 Galvanized Steel	6 Concrete tile	8 RMP (SR)
			9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Guazed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS:	From <u>200</u> ft. to <u>240</u> ft.		
GRAVEL PACK INTERVALS:	From <u>25</u> ft. to <u>250</u> ft.		

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	<u>3 Bentonite</u>	4 Other
Grout Intervals: From <u>0</u> ft. to <u>25</u> ft., From				
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/Gas well
Direction from well? <u>at time of drilling</u>			13 Insecticide storage	16 Other (specify below)
				<u>rolling</u>
			How many feet?	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>15</u>	<u>Clay</u>			
<u>15</u>	<u>27</u>	<u>Limestone</u>			
<u>27</u>	<u>35</u>	<u>Shale</u>			
<u>35</u>	<u>37</u>	<u>Shale</u>			
<u>37</u>	<u>53</u>	<u>Shale</u>			
<u>53</u>	<u>57</u>	<u>Limestone</u>			
<u>57</u>	<u>96</u>	<u>Sandstone</u>			
<u>96</u>	<u>107</u>	<u>Limestone</u>			
<u>107</u>	<u>119</u>	<u>Sandy shale</u>			
<u>119</u>	<u>229</u>	<u>Shale</u>			
<u>229</u>	<u>237</u>	<u>Sandstone (water)</u>			
<u>237</u>	<u>250</u>	<u>Shale</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1) constructed</u> , <u>(2) reconstructed</u> , or <u>(3) plugged</u> under my jurisdiction and was completed on (mo/day/year) <u>3/2/07</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>595</u> This Water Well Record was completed on (mo/day/yr) <u>4/25/07</u> under the business name of <u>James Rubick</u> by (signature)
--