## KOLAR Document ID: 1424016

	WELL R			WWC-5		vision of Wat						
		Correction		e in Well Use		ources App.			Well ID			
			Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$	-			Township Numb T S		ge Number			
county						$\begin{array}{c c c c c c c c c c c c c c c c c c c $						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:	Address:						······································					
Address:			<u><u> </u></u>	710								
City: 3 LOCAT			State:	ZIP:								
	WITH "X" IN 4 DEPTH OF COMPLETED WELL:											
	ON BOX:	ft.	Longitude:(decimal degrees)									
1	N	Dry Well			WGS 84 INAI		IAD 27					
	WELL'S STATIC WATER LEVEL:							Latitude/Longitude unit make/model:		)		
NW	above l	above land surface, measured on (mo-day-yr)					WAAS enabled?					
			p test data: Well water was ft.				□ Land Survey □ Topographic Map					
W E aft			after hours pumping gp Well water was ft.				Online	e Mapper:				
				s pumping								
			ted Yield:gpm				6 Elevation:ft.  Ground Level  TOC					
			le Diameter: in. to ft.			Sour	Source: Land Survey GPS Topographic Map					
1 mile  in. to ft. □ Other												
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease												
	□ Household											
Lawn	Lawn & Garden 7. Aquifer Recharge: well ID						Cased Uncased Geotechnical					
	Livestock 8. Monitoring: well ID							al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID.						a) Closed Loop					
3. Example Feedlot     Air Sparge     Soil Vapor Ex       4. Industrial     Recovery     Injection							13. Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE?       Yes       No       If yes, date sample was submitted:												
Water well disinfected? $\Box$ Yes $\Box$ No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
Steel       Steel       Fiberglass       PVC       Other (Specify)         Brass       Galvanized Steel       Concrete tile       None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify)												
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft., from ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other ft. From												
	rce of possible				11. 10	11., 11011	1		····· It.			
□ Septic	Tank		Lateral Line			Livestock P		Insection	cide Storage			
Sewer			Cess Pool	Sewage La		Fuel Storag			oned Water	Well		
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well												
Other (Specify) Direction from well? ft.												
10 FROM	TO		ITHOLOG		FROM	ТО		HO. LOG (cont.) or		G INTERVALS		
							<u> </u>					
<u> </u>					Notes:	I	L					
11 CONT	RACTOR'S	OR LANDO	OWNER'S	S CERTIFICATION	N: This wate	er well was	🗋 co	onstructed, 🗌 reco	onstructed,	or plugged		
under my j	urisdiction an	d was compl	eted on (n	no-day-year) This Wa	$\dots$ and	this record	is tru	te to the best of m	y knowled	ge and belief.		
				1 mis wa								
	5	Send one copy to	WATER W	ELL OWNER and retain	one for your rec	ords. Fee of \$	5.00 f	or each constructed we	ell.			
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												