	5 GWATE	R WELFEECORD	Form WWC-5	KSA 82	a-1212		700	DPV
LOCATION OF WATER WELL:	Fraction	ALL ALL		on Numbe			Range I	- M
County: Man All Manager and direction from neares	st town or city street a	ddress of well if located	1 within city?	<i>3</i> 11 5		(S	R	(E)#
24 hath 12 t	2 a st			~ ,,,,	writion ig			
WATER WELL OWNER	City of wi	Miamburg	Well	1#8	- may a sound who			
	will aming	7,557,6	0000	• • •	Board o	•	Division of Wat	
City, State, ZIP Code :	The Alexander	١	013		Applica	tion Number:	35.55	78
LOCATE WELL'S LOCATION V AN "X" IN SECTION BOX:				. ft. ELEV				
AN A IN SECTION BOX.		water Encountered 1			2			61 C 7 ft.
Ŧ	1 1	WATER LEVEL					, vi ,	اا ه
NW NE		test data: Well wate						
		gpm: Well wate						
∦ w 	−1 ti	eterin. to					_	
	1 Domestic	O BE USED AS:	6 Oil field water		8 Air condition	_	Injection well	
SW SE	2 Irrigation				9 Dewatering10 Observation		Other (Specify	-
1 1 ! 1 :	• 1	bacteriological sample s	•		_			
<u> </u>	mitted	sacronorogical sample s			ater Well Disinfe	_	, mordayryi sai No	TIPIO Was Sub-
TYPE OF BLANK CASING US		5 Wrought iron	8 Concret				d Clam	nped
	IP (SR)	6 Asbestos-Cement		specify belo	7	Weld		
2 PVC 4 ABS	s ,//	7 Fiberglass				Thre	aded	
Blank casing diameter . 8.14.	in to 155.	ft., Dia	in. to .		ft., Dia		in. <u>to.</u>	~··~#
Blank casing diameter	d.4	.in., weightらい	1 <i>40</i>	Ibs	./ft. Wall thickness	s or gauge N	o Sen 4	0,255
TYPE OF SCREEN OR PERFORA	ATION MATERIAL N		7 PVC	;	10 /	Asbestos-ceme	ent	
1 Steel 3 Sta	inless steel	5 Fiberglass	8 RMF	(SR)		Other (specify)		
	vanized steel	6 Concrete tile	9 ABS		(12	vone used or	Total Control of the	
SCREEN OR PERFORATION OP	•	•	ed wrapped		8 Saw cut		11 None (op	en hole)
1 Continuous slot	3 Mill slot		wrapped		9 Drilled hole		4	ĺ
2 Louvered shutter	4 Key punched	7 Torch			10 Other (spe	• ,		
SCREEN-PERFORATED INTERVA	AIS' From			4 -				
					om		0	
GRAVEL PACK INTERV	From	ft. to		ft., Fr	om	ft. 1	0	
GRAVEL PACK INTERV	From	ft. to		ft., Fr	om	ft. 1	o	
No	From ALS: From	ft. to ft. to ft. to		ft., Fro ft., Fro ft., Fro	om	ft. 1 ft. 1 ft. 1	o o	
No	From ALS: From From		3 Benton	ft., From the ft., From th	om	ft. 1	o o	
GROUT MATERIAL: 2	ALS: From Neat cement 155		3 Benton	ft., Frft., Fr. ft., Fr. ite 4	om	ft. 1	o o	ft. ft. ft.
GROUT MATERIAL: Grout Intervals: From	ALS: From Neat cement 155		3 Benton	ft., Frft., Fr. ft., Fr. ite 4	om	ft. 1	o	ft ftft
GROUT MATERIAL: Grout Intervals: From . 3	ALS: From Prom Leat cement ft. to Sible contamination:	ft. to ft. to ft. to ft. to 2 Cement groutft., From	3 Benton	ft., From tt., From tt	om	ft. 1 ft. 1	o	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From . 3	ALS: From Prom Neat cement ft. to 155 sible contamination: Lateral lines Cess pool		3 Benton	ft., From tt., From tt	omomomomt Other ft., From stock pens	ft. 1 ft. 1	ooo oft. to bandoned wate	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6: Direction from well?	From ALS: From From Neat cement ft. to 155 sible contamination: Lateral lines Cess pool Seepage pit	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ft. ft. ft. ft. er well ll
GROUT MATERIAL: Grout Intervals: From	ALS: From Prom Neat cement ft. to 155 sible contamination: Lateral lines Cess pool	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton	ft., From tt., From tt	om	ft. 1 ft. 1	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 Direction from well? FROM TO	From ALS: From From From From Sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 10 61 Set 1	From ALS: From From No From	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 So 1 10 10 10 10 10 10 10 10 10 10 10 10 1	From ALS: From From Neat cement ft. to 155 sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 So 1 10 10 10 10 10 10 10 10 10 10 10 10 1	From ALS: From From leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 So 1 10 10 10 10 10 10 10 10 10 10 10 10 1	From ALS: From From Neat cement ft. to 155 sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 10 61 So 1 1 1 20 Vella 15 20	From ALS: From From No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO DIA 16 20 Vella 15 19 19 Back 19 25 20 Ci me 25 20 Ci me 25 3 19 Ci me 25 3 20 Ci me 25 3 6 1 9 Shall	From ALS: From From Ne From From Ne From Fro	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 3 Watertight sewer lines 6 5 10 6 10 6 10 6 10 6 10 6 10 6 10 6	From ALS: From Prom Ne Erom leat cement ft. to 155 sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 3 Watertight sewer lines 6 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	From ALS: From From leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 10 01 Soil 10 10 10 10 10 10 10 10 10 10 10 10 10	From ALS: From From leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Bentonft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 Soll 10 10 10 20 Vello 15 20 Vell	From. ALS: From. Neat cement ft. to Sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald		3 Benton ft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 Soil 10 10 10 10 10 10 10 10 10 10 10 10 10	From. ALS: From. Neat cement ft. to Sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald	ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage lago 9 Feedyard	3 Benton ft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 Soll 10 10 10 20 Vello 15 20 Vell	From. ALS: From. Neat cement ft. to Sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald	ft. to ft.	3 Benton ft. to	ft., From tt., From tt	om	14 A 15 C	ooo	
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 01 Soll 1 10 10 10 Soll 1 10	From ALS: From From No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald Shald	ft. to ft.	3 Benton ft. to	ft., From tt., From tt	om	14 A 15 C	ooo	ftft. ftft. er well ll
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 3 Watertight sewer lines 6 5 1 10 6 1 10 10 6 1 10 10 6 1 10 6 1 10 6 1 10 6 1 10 6 1 10 6 1 10 6 1 10 6 1 10 6 1 10	From ALS: From From leat cement ft. to Sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald WNER'S CERTIFICATION LITHOLOGIC Shald LITHOLOGIC Shald LITHOLOGIC	ft. to ft.	3 Benton ft. to	tt., Frontite 10 Live 11 Fue 12 Fert 13 Inse How m	om	14 A 15 C 16 C 16 C LITHOLOG	oo	
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 3 Watertight sewer lines 6 5 1	From. ALS: From. From. No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald VNER'S CERTIFICATION SHALD S	ft. to ft.	3 Benton	tt., Frontite 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	14 A 15 C 16 C LITHOLOG best of my kn	of the to the state of the stat	ition and was
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 3 Watertight sewer lines 6 5 1	From. ALS: From. From. No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald WNER'S CERTIFICATION On 3 71	ft. to ft.	3 Benton	ed_12) recompleted	om	14 A 15 C 16 C 16 C 17 N LITHOLOG best of my kn	of the to the state of the stat	ition and was
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 10 01 Soll 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	From. ALS: From. From. No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald WNER'S CERTIFICATION ON THE SAUCH SAUC	ft. to ft.	3 Benton	10 Live 12 Fert 13 Inse How m TO	om	14 A 15 C 16 C 16 C LITHOLOG best of my kn	der my jurisdict	tion and was elief. Kansas
GROUT MATERIAL: Grout Intervals: From. 3 What is the nearest source of post 1 Septic tank 4 2 Sewer lines 5 3 Watertight sewer lines 6 5 Direction from well? FROM TO 0 10 61 Soll 1 10 10 10 Soll 1 10 10 10 Soll 1 10 10 Soll 1 10 10 Soll 1 10 S	From. ALS: From. From. No. Erom leat cement ft. to sible contamination: Lateral lines Cess pool Seepage pit LITHOLOGIC Shald Shald WNER'S CERTIFICATION ON THE SAME Ball point pen, PLEAS	ft. to ft.	3 Benton ft. to con FROM FROM Grant Construct as a sell Record was	10 Live 12 Fert 13 Inse How m TO	om	14 A 15 C 16 C 16 C 17 N 19 Plugged uncobest of my kn 2 N 19 Plugged uncobest of my kn 2 N 19 Plugged uncobest of my kn	der my jurisdict owledge and be correct answer	ion and was elief. Kansas