WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Franklin	Fraction SE 1/4 SW 1/4 NW 1/4 NE 1/4	Section Number Township No. Range Number T 18 S R 18 T E W
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:
from nearest town or intersection: If at	owner's address, check here .	Latitude: .38,503914 (in decimal degrees)
P66 KCPL Mile Post 128		Longitude: 95.403894 (in decimal degrees)
Old Highway 50, Homewood, KS 66095		Elevation: .1075 Datum: WGS 84, NAD 83, NAD 27
2 WATER WELL OWNER: Phillips	66 Company (FE)	Collection Method:
	nillips Building	GPS unit (Make/Model:)
CO CO CONTROL CO I	ville, OK 74004	☑ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		Est. Accuracy:
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL 18	ft
SECTION BOX: Depth(s) Ground	dwater Encountered (1) 15	8 ft. (2).N/A ft. (3).N/A ft.
WITH AN "X" IN SECTION BOX: N Depth(s) Groundwater Encountered (1) 15 : 88 ft. (2) N/A		
Pump	test data: Well water was NA	ft. after N/A hours pumping N/A gpm
EST. YIELD. N	/Agpm. Well water was N/A	ft. after N/A hours pumping N/A gpm
W Bore Hole Diameter 8.25 in. to .18 ft., and .N/A in. to .N/A ft.		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well MW-16		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
S If yes, mo/day/yr sample was submitted N/A		
	ifected? Yes No	
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .2 in. to .8 ft., Diameter .N/A ft., Diameter .N/A ft.		
Casing height above land surface. 30 in., Weight N/A		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) .1-inch.pre-packed		
SCREEN-PERFORATED INTERVALS: From . 8		
From N/A ft. to N/A ft. From N/A ft. to N/A ft.		
GRAVEL PACK INTERVALS: From 6 ft. to		
From N/A ft. to N/A ft., From N/A ft. to N/A ft.		
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other 0-2 feet (3 by 3 concrete pad) Grout Intervals: From 2 ft. to 6 ft., From N/A ft. to N/A ft., From N/A ft.		
Grout Intervals: From .2 ft. to What is the nearest source of possible cont		it to asserting From asserting to to asserting the
	nes Pit privy Livestock	pens Insecticide storage Other (specify below)
☐ Sewer lines ☐ Cesspool	Sewage lagoon W Fuel storage	e Abandoned water well
☐ Watertight sewer lines ☐ Seepage		
Direction from well .West		from well \$100-feet
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
O 4 aclay, weak, re		
4 12 Chilax (eddis)	1	
10 CK Clay, (800) 5)	4 46110m311/010	
1218 weathered Shal	2, yellow 257/12	
77.0		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged		
under my jurisdiction and was completed on (mo/day/year) .9-3-2013 and this record is true to the best of my knowledge and belief.		
Kansas Water Well Contractor's License No. 759 This Water Well Record was completed on moday year) 9,22-2013 under the business name of RAZEK Environmental, LLC by (signature)		
under the business name of RAZEK Environmental, LLC by (signature) which is signature with the correct answers. Send one copy to		
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html		